

Wm Oser

1/11/73

Berlin

right top

6 2 21 4
43
20/90 4
- 5 1 1
222/00
5
201

FROM
THE LIBRARY
OF
SIR WILLIAM OSLER, BART.
OXFORD

7666 ?

4 1/2

Ym Oler

Pinna

1874


17 0 3 6 9 1 4
: 2 2 2 2

Antennae & clubbed as men, but the
have heavy to clubbed as men, but the
A dark plaque which, the aggregate
may average on the whole, the particular
But as to women who can find it
The great difference of their the condition
of all the female children is
had been taken on the midnight black
is dark, but not as black as the children is
Wish of friends, these prospects of the past

So 9
Rx 20
Drops
20

Olea malacca

a woman in her tenth pregnancy. each
stream with regular menses. menses started
in the 4th month of her tenth pregnancy
the 15th Mal appeared.



Wiederhopper Jan 7th

I New born, till name thing is healed

II Till appearance of first teeth

III. 20. ^{week} - 28 month. till perfect
1st dentition

IV 2 - 3; to 17⁻⁸ years when second
dentition

V till present

Character A.

Weak child small body. Hunch

457 - 50 cc. - normal length.

of the muscles on all the whole of
the adjectives. in abn

the admittance of air
about 4 lbs. under the piston for the small cylinder

and very long broad subventral outclaps. complete backline not
 reached, but ventral ¹⁷ R. ²⁴ R. ² ad
 faint small (lungs. must keep on heart) x are 24 R. - 2 ad
 back - regular in the same manner as in the
 preceding one.

where cannot walk. Since it would through
the more of an other way, I have to dwell

Lo. I gave the breast & squab it up the more
or a good way the the more with a spoon. in this way

Bed a blanket as good as any or with the
mother better still. Move these to the new

Still Callan. danger to these children. They
cannot die with them. Attached case is

Edmund of body also attend to all
the life functions

These ch. often come after an illness
to the mother ch. P. again say a ch.
young mothers
When ch. came

these meth. ^{why} mean ^{why} with the head, or within
of mother not healthy don't let her
nurse, get a wet nurse.

Said after a bit the bed is on bottle with milk
When a healthy ^{mother} ^{at first} in season

+ get the ^{must more the mother} ^{any} 2 get any the

^{ch.} ^{mean} of things it comes soon of what
red for 24-26 shall give a help?

Robertson usually helps I suppose
Main ^a sugar if it does not come
with the stool. 31 in 2-3 oz. + little

a little. A mother should always
give on Rind. her milk in

not on a whole milk in principle but flav. of milk
more suitable for the young

to get a bit of a hint what not what of
Chick. says for ^{small} are not always
the best. they are usually good

ones. Small are better

attend to the nipple during the pregnancy.

with Bourgeois explanation
I have perhaps a good deal of trouble
after birth of ch. If the mother is
syphilitic or when ^{syphilitic} infant may be external
a contraction of ^{muscles} ~~muscles~~ ^{muscles} ~~muscles~~
in child. Then an case when
the milk is so poor that I cannot
not nourish the ch. in then
one or two weeks.

Week nurse. ^{health the best quarters I have with}
best between 20 - 30. ^{over this milk}
The good not understood good
that I have has had one child at least
Knox. somewhat large, full grown &
one other. vein dark. I feel the whole of
the breast. when pressed it must milk
springs out. ^{in some figures} even I do not say much as
to times. ^{But the milk may not be suitable} ~~But the milk may not be suitable~~
but great difference in the milk. ^{the milk is different} ~~the milk is different~~
I was on account, or this very hard. Then
makes no difference to the strong ch.
but a weak one must a can I mean
want. A can I mean want for a weak child
shut. I don't at me in both breasts. for the
supplies must be goodly project will
under 3 months is not sufficient with
me breast. It is a common error that milk
is more in breast. Should not be over 2 months
of a newborn child
Let the weak nurse are a debt to think she
has been accustomed she has milk
may be diminished

The age of the Ann as a nurse is important
a new nurse with 2 months Ann. seen of
disappear or nearly always changed course
of the age of child. age of a child is an important

Catarrh of the vagina

when the 1st or the 2nd period gets some
very small when that. And sometimes
becomes whitish & but not so it. The
mouth a little. changed the cream is
increased. when the 3rd or 4th time gets
some light color appearance.

2nd period. there is a little longer. soon
the 3rd or 4th the color not longer come
with the arrival of the period but can
be gone for 4-5 days. get pale &
be strong. when the 6-7 month old
& the 1st period comes then stop the
running. but if 2-3 months old stop.
stop the 1st or 2nd when the 2nd period
comes. Another case. Galactaria
an abscess of the mouth found that
in the breast. when a 1st or 2nd has moved
a 1st & then a new one appears
unusually. then it does not grow
as the other does & storing the
place must get a change & draw
the breast. & Bellard. 71 A D. 5-
saline. plus on the breast, and draw
the breast. I produce an

May 6. bad. the day previous it laid.
green food diff to get for ^{the} corns or pedicels
the dices of it are more prevalent than
in the change of corn. damn calum

mai good. Corns get pink. good green
June good

July. bad. great heat. damn calum
milk. is apt to be affected by the heat & get
sour.

August same

Sept. Oct. Nov. Dec. good month

Do it under the old rule said
it goes good in some cases ^{but} after becoming
dyspeptic. Abolition Theory. not good
Chad apt to come in

Never do it out of the month or ²² hour
suddenly. ^{in state 8-9 months old. when} it should 4-6 weeks continue
in the same month ^{usually} continue in this
period. if 7 months old. refer to next

1 B. month. Non-vent. simple soup
Hout. beef. Sugar & salt is not pleasant
after 2-3 day begin with milk. either
new milk. 4 mal B. 1 the sup. 2 small
When 2 mal before & 3 mal after supper
5 mal then the milk is ripe for feeding

Jaundice. Thromb. These are healthy ch. disappear
1. day \rightarrow 3, reaction in a week, no reaction and
recovery 2-3

Resonance unaltered but lower alba

Splenitis. Mild

Wing. 20g

Wing cover ²⁰ 110g - 31 fat

Crops.

Lactic acid metabolites 10g

Chk but 1. also

Chd. inter. affection

Artificial Monoculture

When the middle seed is present & good

Butler can. 1/2 grain, the Throatless. 7 after

a boy, but + let 100. only then 3 of bubble

have, after standing 24 hours

1/2 grain depends on Carine. Reaction very
alcoholic.

Reaction in corn will be 1/2 part of dry grain
but 1/2 part of 1/2 part. Carine more at the
next day. Corn is the great diff. Carine

1/2 part sugar. Would sugar be 1/2 of Carine
sugar, but would be 1/2 of Carine. 1/2
1/2. In case 38% but 14

Then the milk. An eighth measure
cooks along. a new tin should 1/2 lb
2 pt water & table water & 1 lb milk
sugar. & put the milk & the sugar water
in 1 quart. 1 quart milk is enough

Amount often used

Instructions. Washed after turning the milk
with sugar. used also

Give a whole quart. (7-8 days for milk) The
cow will not take the milk & come in contact
with air. & put the water.

Do not allow milk to be good

Letting. soup. much simpler but when good

It is the best from. yet I must carefully be made
the & best is good too.

Crossing methods. Over.

Here. table milk. after 12 hours standing
bottle of the over. kept either with 2 pt
of sugar

Artificial nourishment. under.

(Monte) 7/4/74

Treatment of incontinence perine
(arising from weakness of the urethral
muscles) in children with electricity.
Place one pole up the rectum in contact
with the prostatic gland, the other in the
vagina of the perine & pass the current for
about five minutes. Sometimes only
four or five applications needed to cure
obstinate cases which have resisted
they cured a Rhinodermis.

The above does not recommend chloro-
form and Potassium (2 drops) but advises
the use of Rhinodermis inunction for
anesthesia.

Aug. 24th 1874. 10 days old.

By 7th ind. for a 10 yr old. 111 gth. per day

Intestinal diseases
Study the stools

Dyspepsia a defec of meat with full
stool middle moist, one part changed
with the other unchanged, middle
colour one part white other yellow
brown smell acid reaction & proper
when fluid & solid is about equal
something also unchanged or coagulum
with a firm apple colour. Fluctuant
chasing from the M. M. appetite & exer-
cise & the fever.

What the cause? find the int-
we consider the ch or can when too
full in would cause & even if late
a young man. yet the bad can if ch is not
fit for digestion. High better from can-
to mouth with devot of tubercles
no prognosis is good. Can is
more. great is great. often
too much cattle and dysp comes
on. When slim of new born ch. is seen
slim & ^{found} not fully developed. a an

Empirical med. bunch of unchanged
med. aids. when side some such
ground matters. alkali used
soda. or aqua calis. or soda
311. for water. before vomiting.

Coleo flatulenta.


Into calant stools. may be, more
fluid than solid. m. b. &
anish. & gas. & green. color or
not. in later stage. Nervous
age. men of. less of vom. & pains of
belly. No pain at begin. or may be
able to collapse. when it comes of.
a sign of curable.
belly. swollen. ^{refrigerant of throat} ~~chance~~ ^{one}. some dim
much. Absent take not
when a R. & a intestine are enlarged
in an eat. the whole in small gland
in Dyrhop come what once much gas
Calant goes into to neon, or into ^{into} or choke
ack. inter. cat. a not diff. thing to treat
of a Ruch. child. along. observe in these cases
of an Eszima has a gland swelling. the child
soon are needed not full when it is hard
in prognosis. the throat & urine are
the points. as is of the duct over

& since done no favor program
is to be given. when ch. begins to feed
is favorable. The imbric. some sample
others for. Washing. if only vomit
with a brand. From 1 year on and
also, milk, cuppe, sublin, some full
others. Chief care of treatment in most
child medicine not much to do. Give clous
saffron, then letty, soup, flesh, raw
in single cases, good, in other use with
soups so the circle round. by them
about 10 days each, find the cause
and. make bad milk. Can drink water
in cold water. Dream act. water &
allomene. Medicines. actin & opiate
be begun. used to be given during office
all vomiting, no good. If vomit a dyspe
sion paper. Hel. Ach. int. Col. give
Columbo. Sex. or Pul. Col. 1/2 gr. with a
nut Opium. either Pul. Dover. or 4 + Opium
New born ch. & in for weeks. no Opium
or minimal. Ach. in a yr. milk. then
1/8 gr per day. of Pul. do. 1 week 1/6 gr of
P.D. over 1 1/2 yr. in 1/2 gr of P.D. per die
over a yr. 11 gr P.D. ... 7 and Opium
under 1 1/2 yr. 1 Dr. op. die. over 1 yr. 11
11 gr per die. 1/12 gr of Dr. per

has can. common the when time in
a child. $\frac{1}{2}$ g in 12 hours. as a good
way of P. down. Do not give them
any at a time. of a black child
one with acute colic. Some & from
bath. other methods. Keep a uniform
temperature. Plaster used by older
Physic. Cold water treatment is
good.

Intestis. the follicular form

begin in such or as in dysentery. or
in compound come in. Scharlach. The 74 hours
find P. in. large piles swollen. in m.
of dark brown. St. at one. in of larger whole
large intestine. A acute & chronic forms.
Stools - formed to be. either green
color green schlemm. or bloody stools
resembling more dysentery. Cassia also
unchanged also. come in ch. which
has been lying in a hospital. over. When
gt. perfect. for. in stool. It is frequent.
20-30 men. It is small. Stool. often
very meagre. a healthy looking one
at another. a typical dysentery. (Ment-
collected several stools. Pass at stool



last of Sept. is without fluctuation
and is from 75 to 85. belly not open
but often irritated. Smaller by weight
than the rest of the year - can be
in good, or a Dyspepsia. often of long
duration in fever or a exacerbation in
+ evening. They are pale. Enlarged
rectum. Dry lips & chapped. or ragades
Tonsils in 2nd pair of more chronic
less. They get by them. often taken
by the mouth. a virus & chyle is stopped
since the abnegation of a long un-
der the center one and allowing
passage that should take the ch. 8-9
growth moving, at the same time, can
delay, I have seen cases in some time
in the periphery. sing a by Dr. H. H. H.
Prof. H. H. H. when fever is high or begin
to rise. but when reaction is at its
height or when the reaction is
different for a few days to years.
Their Diet. with use of feeding and
alone or a coffee can do wonders. In
the begin. then and when fever is present
for 2-3 days & cold drinks & soda water
later give cold wine & water. Small quantities
of food & often. Then Raw flesh 1/2

1. food. 2-3 times a day. Tallow sheep tallow
pure from fat: & give either on a little bread
good in many cases when it can be
continued but stops the diarrhoea (?)
must change the diet often. Tallow is
good. Later not at first or 2000
milk is not good. Don't give too much
medicine. Give at first usually a
slight purgative, not Cal. but Ol. Ric.
a older child 6gr of Rhat Rheum
Naturalist is chylers. Simile chylers
at first. after a while stop it. If not
succeed with this. new born. 1 gr of
for chy. 2 gr 11 gr for chylers. Can
use codon? 7-6 gr 7 gr 311 of fluid
& mix to 3 oz. If severe sub. almost
per. in Arg. int. chylers in glass
syringe. 1 chy. 1-2 gr Arg. int.
7: Cl. 1-2-3-4 give 10 chylers
over great pain. with water use
with chyme chylers
Internal. asparagus or opiate use
Pul. Do. in bag. 1 gr for 4 gr 2d Chyl.
with Tannin or Rhat Rheum, Tannin,
Gentle Symp. for pain & an. mucous
7 inch. Casen. with opium.
Dec. Codon. or Symp. 1/10-1/20


Under the St. of the 1/2 - 1/4 gr per dose
formed, as nit are much, now
less of use. In 1/2 - 1/4 gr per die
in the case of the. But so common
a remedy is present. Bath.
Cold water treatment is good in Entert
chylitis and a bath a rubbing
Change of air is wonderful. An
imp factor the consequence of the by breath
an aden growing, the the lens and
cervical in the brain. This is very common
in looks for the when a man comes
in a den of eyelids or face, 7 years
in begun, then the brain. Now perhaps
the whole, the in sleep, should
finally the drinks, symptoms
was pulse, a little men, tubercles
common, wide pupils, sensitive branch
cervical & aneurisms. Return the
Man but little! dead. but the Hurler
One date an act & a chum from
The other, stop the drinks, & act
mellous open in 1/2 gill, 2. as the
age, per dose, stimuland. Now, let
best, wine, cognac, Camphor, ether


Sulph. . . Az. Cane . . . Lung cancer & right
thyroids

Morbilli are as an ab. chan. of red
flecks over the whole body, never, per-
sistent, & calarated, & is contagious.
It only material is in the mucous & ad-
ditive from the various membranes. Incubated
14-15 days. No good to separate children
unless it is done at the moment of
before the calaration come out.

Symptoms. Prodromal calaration appear
from eyes, nose, pharynx, & throat
2nd 1-4 days. Perhaps most important
is the calaration & the cough a mean cough
& laryngeal cough. Not to cure not to
cure this for cough. Many get even a
slender pharynx in this, or an adenoid
in. Sub. Eruption. Fever increases. Small
red spots on forehead & face, then to
neck & breast in 3 days the whole body is covered
in same way. Eruption the simple face first.
The persistent flecks remain often more or less
marked. Absorbing comes in depending
on the eruption & ends about the 12. days
when the calaration is long carbon & simple only
from the disease but to much, usually a 14 day
disease. An important point is that
and health, first - remain between the general
at 24 hours. This is a point of observation.

between it & local form of great importance.
Complications. Perforation more chief. As
colic and fever. or a second course. a follow
of acute bronchitis & laryngitis. more a Diphtheria
in the more severe. Whooping & Tubercle
it can happen that from a more colic or
whooping cough comes on as Morbilli. affl.
will often be followed by a whooping cough epidemic
Tubercle often comes on in child of a careful
habit attend with Morbilli & catarrh
a measure as the old physicians said is
a good deal of the cure of a child
Therapie, a slight cure with
but diet & hygiene. Cough perhaps
needs a little. For a Keap in bed
give cold water and drinks.
The Catarrh needs most treatment.
Give better as day after. Most epidemics
are short. 3-4 weeks. but they differ in
severity.






The alterations in the ...
the ... & ...
among in certain diseased states
might bring about such a condition
favourable to their development

Apparently all this is important for the
process of development

Hueb. Centralblatt 1868. No 12

speaks of ... in the ...
of ... in ...
of ... and ...
part ...
which ...
as ... & they were in
high movement & found ...
bodies in the blood ...
(in the blood)
of ... of the ...
See also no 34 & 33



Capillary infarcts of Kidney

Andryesi:

Cancer (stomach)

Sp. 11/73

showing absorption of liver

Howe-Krauss. The marrow cavity.



Infarct of spleen

Capillary infarcts of Kidney

Auchtyleni:

Cancer (stomach)

8/11/73

Morokhannun. The mammary ^{from atrophy of liver} change.

Pap. looper

Left ventricle (?) appressed. fixed

Emphysema. development

Diffusion to caecum. to end.

Manufacturing (as) relative proportion

On the right

On the left ± perfect. to form

On the left

Heat (?)


Lowest

Wentfallen

Of the same kind

Manufacturing change

Sediment



(under the C. v. cond. but for the form)

Exhib

20

15/11/33

Centurus of line at Kibara,

Synanthropy.

Syphidus speciosus



Don't tell me, representation

19/11/75

colloid of stomach
atrophy of liver
Cancer of Kidney
" " Liver

22/11/75

Diphtheria



Empyema - cure in a young man (24)

Though the heart (right) may be enlarged it is
hard to diagnose save from the symptoms.
The heart dulls as often less than none
as the lungs cover them & the heart's position
is almost imperceptible. feel a deep in
the epigastrium. - i.e. the pulsation of the right
hand is felt there being pushed down

of. severity in thick & dense. for cardiac
spec.

of. pericard. & copious green. tubercu-
lar

pl. & tubercular. Heart Pericard

28/11/72

abscess of brain

1st a sequence of consecutive traumatic
2nd. Extension from abscessed bone
involving first the dura then the pia
& afterwards the substance

(3) Metastatic - either from whole

Acute & Chronic forms

Chronic abscess is by a formed membrane
shut off from the brain - encapsulated
outer layer firm, inner somewhat
irregular & often red coloured

Formerly thought that the inner mem-
brane was analogous to a Mc-Mem-
& sealed the pus - a pyogenic mem-
brane. The outer layer of the membrane
continued for a short distance into
the surrounding part of the brain - a
proliferation of the microglia

Berwick's story

Waters from peripheral fever

Pneumonia

Begin with a vesicular case

Ausförmig

Gangrene of lungs.

1. ^{foreign body} ~~from the~~ putrid products of Bronchitis

2. Embolism always sharply defined
+ limited

3. Diffuse { Bronch. putrida

4. Gangrene from food being drawn into the
bronchi

Echinococcus of liver

The cyst of large usually communicates
with the gall ducts & can be directly injected
as is however with the small ones - it is
a secondary perforation



Congenital syphilis

More and infection of newborns

4/12/73

Arteritis deformans

Atelactasis - Fatal Pneumonia

Carcinoma Hepatis & Hydatid. granosa

Localized Hepatitis


5/12/73

Phosphorus poisoning

In the liver fatty infiltration of the cells in
the kidney fatty degeneration

Pyrexia

Chorea



1/12/13.

Sulphuric Acid Poisoning

1 a few pint

2

3 an application of the mucous membrane

Chronic Ulcer of Stomach

always a question as to whether it came from
direct action of poisons or on the M. Membran

Cholesterin of Brain

child 5 yrs old
Aphthous ulcerations of lips & tongue, in child
with & without. can only be mistaken
for some other condition very -
Herpes which is common is seen in other
localities as well, and Syphilis ulcerate

X
Erythema granulosum in child 3 yrs (L) lasting
for 2 years

"Skin Diseases"

"Hebra & Neumann"

Pseudomonas vulgaris.

Procurari: Malkalm bath & others
cal. 31. may 311

P. Sphindaba. minor-mutabala, & if mutated
when scathed, no Horka, same too as seen below

Habra. Cyrena. Therapeut. Fingers stiff & immovable
can glow. it enables the hands to be placed, even
some defect even in the same nature of the skin lesion
rather & concentrated at the base of the thumb the
hands with (concise) even with fl. of hands) the pain
of the application is not noticeable with them. The
taking in various cases & crops after with him.
The action lies in the rapid removal of the layers
of the epidermis

Case of Palmar Cyrena (man) orig. via Syth Prouan
with it got red base when the scales are removed
the current of the spines sharply bounded
It is in the purple granulating. Nails
hard, in Syth always in the base. Shrink
in the epidermis. Tends away
Drug. It is for ex. There came, came with
indiv. who work in circulation materials
in part. cult. & by the acid weather. The work
a spontaneous but a more other sort. He worked
in H.C. Only from no itching, 7 months
hardly shines. It is as the in the center of the center
2 Fall ure. may by 24 hrs. in the
hand some for 8 days. other crops by a. 31
& may by 31. ought to be in ex. with
See any second day a note in skin disease. See
also the scales, all are away. if may not prove
& not. It is not no

(2) Sy. coxus head face chaff the head & cheeks the
 heavy parts. Two primary effluorescences. Pustules
 on the cheeks also on the head where hair is the
 middle of hair follicle when it is pushed into
 the bulb & swollen some with pus. Sy. coxus
 20, is not confined as Sy. is to heavy parts
 Sy. almost & clear on the face. Such a case as
 is very uncommon. The following are lesions which
 it often does. a primary eff. of head is rare

(3) Impetigo (man) Impetigo often forming on
 old people. rather exceeds h.c. it is
 in some cases.

(4) Impetigo (boy) Impetigo dark yellow color also
 crusting. under col. only affect. upper half
 skin of abdomen dark colored & with dark spots
 rather an old scabies or an Prurigo
 Some better & kept out

Boy 11 years old. Syph. ulceration. lower part of both thighs
 and ulceration with color. The lower part of the
 of abdomen appear to develop in Impetigo. Low. spots
 also cover with scabs. Superf. of both & more
 extended. Syph. more local. They proceed from
 beginning in the center of skin. The 20 years
 after scar. before each appear present in a syph.
 patient. 1. Sy. cut. serpiginous. Connective of
 2-3 years. An under with. The Syph. manner can
 of the child have no Syph. they are commonly Prurigo
 H. Cant. are with 10-12 days before the child start
 out 10-12' above the ante to cut. in Impetigo often with
 when white pustules Superf.
 This case Habia diagnosed Syph. and Herpes
Syph. !!

(2) Eczema. Offace rubrum. a broken along in
a given up person when such an Eczema
exists one can always say that some external
cause exists. either extreme heat or
simple starch or wet compresses are sufficient.

(3) Herdman of Steth

my my

4. Boy. Scrofulous infiltration of skin i.e. Lupus
Partly along the shoulder area. The
in action. The skin quite flat. Color not
not deep light color but light red colored
is very perceptible with counts covered.
Is it by or Lupus? remove the count, flimsy
granulation

This

In childhood Lupus is identical with scrofula
12/1/74

By coming began as an Acne.

and as an Eczema which however now
passes into the pure Eczema

Parasit Ego formis from Anobis. se. & so forth
- rings. of the skin down in the surrounding
when K.D. is given against it. It becomes
worse especially if the body acne comes
out

when the doctor in Proton offace. It is apt to
cause dark pigmented scars.

Wunderman

a game up under the skin and gets - Prings under
they have been it as children. It is always the
a mountain accompanied by an Italian
(Italian)

13/1/73

Prunaria vulgaris (L.)

Other diseases as Prunaria &
Lithium affect the blood vessels of the limbs
as well as this affection. When it is met with
after the removal of the skin you do not get
the bloody band but an undecanted base
and the recent form shows that bloody base
above this case on the abdomen, when a
Pat. is disposed to Prunaria, in most cases
the under is coffee or like a Prunaria. Prunaria
with a Pat. disposed to water in the skin the
skin is stimulated. Also on the face. In
the case but as a rule no slight inflammation
above the Hoffmann's but usually after long
continuance of the disease, at first a slight itching
appears and more. Symptoms of the same
various peculiarities of the skin to the hair more
to do with it as a skin in hundred diseases
as I shilly. water more on.

Prunaria of the head to along sharply unrolled to
the base. It is more over to the face through
a narrow.

Eximia Capitis. same. when only on the
head in a small spot of the hair as it
scales the on local cases.

of general & can many a constituent
house. incident - Cause of degeneration of
usually in child of an grown up. fish
with clenching of jaws, or in audience in
dreadful & scrupulous.

Local, & Nelson, give 72 & out. with Leber
- Man. it is a mottled better than other who
d. per. acc. & 72. Canb. Ca. onto with
Leberstein to measure the finger
While from 30 to 35. 72. Do not feel
be here for Ezeena

14/1/73

Syllabus like they do. when they are. but now with
into the hall it is better done again (Leber).

13/1/74

Care of Rhipia scumplex. (Mani 0331)

Concave on the inner border of right thigh
lower part and on the point of the point
of left leg. flat but concave. same size in
eye from a sublegation to half as large
again. as a shaler, surrounded with
a reddened margin in which a few blood
could be seen. On the inner of the concave
only a flat bare reddened is seen, no
loss of substance. In time Rhipia without
reaction when the wound are removed later
at a point -
An extraordinary rare case (Leber) 17th course
of the wound better. It is the first appearance and through
infection.

(man)
Sycosis - upper lip only & in rare 2d at angle
 water & hair dryer... commencement of hair
 on the nose before long spread lips
 if strongly rub with I used in 1 week
 always shave 2 draw out the hairs regular
 water the skin soft pink & it does not pain
 much at growth be careful in water pressure
 with a hairbrush at night
 a dry hair brush, also 3 and put on line
 supply all day St. Cap. binder. App. in hand
 18th letter

Palmar Pseudoscaris (man - 24)
 was in Hospital 2 yrs

Scyphus - villosus, Syphilitic, would be dangerous
 from it, ill. on the hands the sharp points in
 between in between ^{as here} or if it has it comes
 from injury or the occupation.

Villosa If one can occupy the skin a strong
 pressure on the hand from an external
 application.

Syphilitic also in small unapparent points. It would
 from a little & 2 mac. or papules? May come
 from syphilitic lesions or a wound, one black point
 elevated with it - in on the forearm, for of
 course in, and as there can be taken care of
 100 200 200 after primary symptoms

Treatment There 700 added. Can local
 be treated. Several points in course. Put the hand
 hard glove & one Camp Dress. & Hys 35 in it on
 under plaster & nothing else, & in 2 weeks
 get to be cured

When the indication for head disease
is removed with the chart. by other
a small granulation is left, no more
than follows.

Oxema of the Scalp

To be distinguished from

Seborrhea comes in the scalp, is more common in
summer up over during menstrual. clearing. & it is more
limited & the glands are not enlarged.

Furuncles also crusts, but the hair is brittle & pull
out easily & the crust are yellow & scurfed.

Pruritis, more scales than furuncles & always
sharply defined by the hair.

Oxema always comes over from the hairy portion of scalp.

Syphilis; when removed, the Oxema first
appears beneath.

It is an Oxema. Pruritis, scurfing of scalp.

Treatment, many Pruritis. Oil rubbed in

the pores of oil a sponge & rub it in the head

with a flannel & rub in the head for the

repeat this with any remedy, brush out

the scales with a hand brush.

Oxema of furuncles

Shampoo & soap into the scalp in daily

three & cold compresses

3rd Saffron water for cure

18/1/74

(Helen)

partly curdy, along ^{come} an consequence of use -
 & soft chancre is nearly always, with the flat
 plaques, along from Syphilis, chancre
 and a spry curdy form (Tripe)

The two cases of universal vegetations
 (see Prager & Hamall) both fatal
 one not chancous - syphilitic. The other
 not chancous - non-syphilitic

18th

Melia says that there is no better black
 pigment for the hair than a burnt
 cork. Rub the cork thru the hair and
 then rub in the the cork well

She also doubts entirely the assertion
 that hair ~~does~~ turn white in a single
 night supposes that it could take
 up weeks to turn a man's 6 months
 hair

Sy. Angenita

first. maculae . 2 peribasis all
other alternative. Bone off on the
first place, rare. May minimum latest
come out at paper, as when on
skin or paper. or with them off
of bone. This child 6 years an app
such as is now found at
Paris in great variety - a seiphen
syphus. Have spiky, normal. H. by
a long fructus - and when in the perip
a cheap boundary. about the border
and normal, hence above the Sy. or
Euphr. the latter in the nose. the
^{surrounding} ~~normal~~ never normal. In it origin
in per contact? A substance too
also in the other macula. Euphr.
would not work so deeply without
affecting the other neighboring parts
a trip when also on the bones. Involve
growth, more in Sy. white. The 4 per
Euphr. at this age, same or never, come
near the border. Syph. is an indication
even original. When the 2. has
the day. the

after some years. other marks that
appear usually come out later
at Puberty or before

Therefore, such a case with great rapid growth
on a hard to limit it when the
severe ^{days} don't reach; even in I large
the whole up left, & the nose, may be des-
troyed by this gonorrhea cyphoid.

Next with Hake causticum. I can well in
the surroundings. In all matters I
am cyphoid the best is inunction. But
a Heberichs Cy, also, when in skin same
small child, give inunction! 6/7. 12 for pro-
die. Use cinerea & long. Curious mixed
out in skin. one day, leg, over the thing
as on this, the hands & body.

Eczema rubrum. common: from scratching

long. deeply. 30

Eczema rubrum

Man 55 years age.

Thin red skin on nose, roof of the throat
on shins, groin, flanks, axilla. Other parts
I have observed to be - *E. rubrum*. Also found
Nodule - *E. papulosa*. On intertrigo the
skin is red & excoriated & swollen. In fact
the whole is inflamed, on forehead where it is
also not denied. - *E. impetiginosa* - the
three forms, one place, double, red - thin
though - the incision is, slow & tardy, slow
in old people, while in intertrigo it is more
place, red, thin, in old people, the effect then
differs. The skin is rather chafed.

Leucoderma. Found with *E. rubrum*, after the same
course. No striking remedies - as *E. rubrum*
with Zelen. then or Carb. acid. 31. After 30
days. On face, get away the crusts & apply
after this time wonderful healed even long time.

Woman 25. Subcutaneous

2/1st

Syphilis of nose

Woman (5-2-8)

Up of
Inpus. excluded as the nose is full.
Epithelium is also because the
mucous changes are in the sub band
also a syphilide affecting the body
of the nose, and the infiltration & be
is on the cheek. Palate (C) and uvula gone
Food 30. G. pul. 1/2. G. S. pills & cream
milk with arg. nit & lincol. Hyd. in the
nose. (To come on Monday)

Itch in subcutaneous

2 light cases, one rubbing enough for local
tissue under 2 days both on both

Strychn. 1/2. Sulph. aa 3T. Crota 1/2

Sapo. med. is. aa 3T. Coal Pam. 3T

Not a piece the eye for crust in the lower
Syphilis eyelid

Woman in Hospital in 1865

On under eyelid (r) a sub. lvs. size for days
has a the common deeply injected & puffy
character from lower lid
on head hair scanty & crusty

Forehead covered with white excruciating
on head. Urinable & scant. Palate & teeth

round. These are symptoms which
since Oct- after many years
must use local treatment, with
Iodine & let it remain for 48 hours on
1 pt Iodine 1 per water for the conjunc-
tion. Besides there must be 12.5
Dec Gillmanii 3 vici
unction in this form not employed

14

Rashid Sennapall

Eczema

22/1/14

vesicular stage is variable depending on the
locality. if on the arms for inst they last a day
or two. but on the penis & glans they disappear as many
times
Some ves in Ec do not burst out after a few
days go on to pustules. This is seen in sterile
women at the hands. great itching, and the
form of the pustules is where a thickened skin
hands apart. The vesicles may confluent
Eczema swelling comes in form of acute
or chronic of forming a mass of it a thickening
of skin

E. papulosa a ^{a variety of} ~~condition~~ of the variety
in many as it is a different affair
In kind, acute indiv. scurfy comes
mostly in form of small bluish eruptions
in groups. are scurfy & scurfy scurfy
methods. often in older indiv. the
pustules are ^{covered} with scales covered
also in groups. may extend superficially
very little thickening. Scurf. Some in

adults
Lagena kind. dull colour. is deep
brown either in consequence of working of
salts, or copper intrinsic. Brown filings
or by insoluble Lycopodium, which darkens
much. the hair hard & papilla growth
at margin.

2. subtrunc a uniserial fresh papule
or verruciform. as a rule from E. seeds. the
verruca blunt. the head comes forth. on
a greenish plant which transparent is & con-
tains no elements & in the head the
suban filled. a strong reflex of suban
& the head is yellow coloured & a small
E. squamose or papilla. dimid. papule

Therapie

Internal or External? If former in-
cises an isolated with destruction of inner organ
often with a Magera Calabar & can be removed
treated. Intermittent also accompanied by E. can
& treatment or change of climate it goes
often in connection with diseases of sexual
organs from man. In general in Lycopodium in
which in the females the podiceps exists & it
can be treated internally. K. P. & Arsenic
both of K. is not as good as Arsenic. In doubt
that there are forms in which it is the ability
there are very obstinate cases & a large. Syphilis
here. K. P. in them. is better Arsenic in Ch. 6 gtt
in some up 12. - 20 gtt of Fowler's solution

2nd method. Give the whole skin bath
all from root. In gen. Ec. is a simple
of the other skin as other inflammations
Antiph. is best. ^{of the skin} of a wet compress. & change
it with decumbent. It may cease. The skin
very vulnerable in these cases & so be
conveniently. Of a local - face - enough of
cold compress or a strong. or alum. &. Al.
compress for inst. or some mixture of milk
hand water it becomes more talk
A. dis. or bird's water. In form of bath
in certain form. Copies or direct if it
is spread or when skin is pale.
Pruriginous skin on the skin thick &
Gen. with Sulphur or Soda. Cryst. or Sulphur
311. in 311. of the. or a bath of 28° or of Sulph.
or a 1/2 lb. of each. Soda 1-2 lb. in
a bath.

Amle Ec. in gen. at night with ch. Take
a skin care a skin with it on head. for some
weeks. or more. Take then away with
oil in 2 x hours. when more see it is not
another in 2 x of acute band skin another
or more. use antiph. or a tincture of
Alum. or Borax. or 31

Glycer

311

in the head

will tell the swelling. In gen. cold compress
of ch. & thick skin with the skin. skin
or more. cups or I would.

o. Sapo. Malle. T. All warm water & sub.
with flammul. & sub in with the soap
with. Sapo & Tar when not so strong infus.
Tar when other strong then thickened
Sapo in child. Tar in adult.

7 in Rai. muchly agitated. In much
salve. Very bright in linen will clean
or fine astringent iters. White for xgr. in 31/2
9c in portland cure ulcers or from the hairy
parts or for irritation of the parts. Some have
as many as 10. ulcers just from this cure
are a Carbuncle Plaster

Eyethid you over the Eyebrow also, commonly. In the
water croup or astringe many Tar is best. but
do not let it come in contact with the eyes
the Eyethid spittle. salves. infuse. 21
is just like Eyecore

o. Mouth. cure in child & sagarden. an
astringe of lips. very pumpit. a regular treat
ment with Sapo. Roman. Diacetyl. so in linen
& bind it close & band. 1 Tail of head
7 in whole face. much in Pueria & child. often
1-2 years. much. often astringe of often it is much
out with Sapo in childhood with hairdye

C. rubrum. in leg as a rule acc with
var. ^{core} varis = varicella. ^{usually} varicella. I think &
infus. for inf. thro. ^{use} of varicella & warm
water & milk. & rub in in a circular

app. of virus finally. Twice a day with
S. ind. saples. Ung. Diac. Emp. Dra
Cyl. Al. olive aa. p. aqua. Rorax salve
Ror. 3i. Sol. with g. s. glycer. Libe. malin
Cera abla aa. 3i. Al. olive. g. s. 1.
make a. Must apply on linen & tie in
Line ind. ^{edant} cannot bear Ung. Diacyl
from punctures. is an anty sezem. other
to use. also fat not borne? some. Ery
instead use Gly. & acrylun
Must ^{make} ^{a p. m.} Ung. Sh. Amy. per 3i. Gly. 3vi.
Cra ad cured ung. then get an ord
salve. Add of like. Juice. & Alum
others as an Ung. Diacyl. S. per Cit. 3i
Al. Ol. 3ir

In such an exzema also. Keep up the
pos. of the part must apply a roll
moderately tight. If infest ^{with} flannet
but linen. When old people with S. ind
be careful. get excretion & ex hemorrh
points. Must when perfect. be old and
Tan an emp ^{stent} me decumant.

Al. Fagi. Ruri. in Caduce. The most
consistent is the best. Also not burn
as much as get a thicker layer

on. If that thick enough, evaporate
or take a little any time & add. When
out it is, not a time but a thick brush
when shall tar? when burned in an
ind. after with no more removal
& applied is not present, then use tar
not with Charcoal or cement make
it over. When much disease, not to
put in all over, it is absorbed
if so. a dark urine comes, or vomiting
or tarry stools, a in Carbolic acid
7 table in small pint at a time and
apply this if will vom. go on in larger
pint. It does in the other, a tar layer
& comes out off. so must apply 5-6 times
stop for a time. If not taking wait till
tar is cast off. If wish to take any, not
water. It goes hard, but cast, in alcohol
a bunch, dipped in alcohol, does it
in other parts of the body.

Psoriasis 9 years of 5 incl. longest. H.
has been in 15 yrs. Man. 45 years
plentiful on trunk & extremities of flesh
size of kernels. Not many Schuppchen
have been in both. Nearly all patches
of same size. Seen in the common

spite of elbow stiffness, also no itchy
therapeutic. first form of P. is punctate
infiltration under means a Arsenic. get
ser for 20, then back to 10. It goes down
to Arsenic Alb. gr 66. an 800 pills. in 100 gr
= Pil. arsenici gr 3-4. sup. to P.
Other less operant. Carbolic acid some
cases good. Acid Carb 3i. Alcoh
gall. 3i. G. T. Lign gr 4, gr 6 pills
daily. Local. Comes it in single form
or deeper one just faint. also it then
often the itchy, or not, are
ragged, & white.

Such a one. Ca in warm bath with
Hemorrhoids solution. after eruption. 1000
in a bath. dry 1/2 hr. Lotion. plain water
not it in some places. one dry belly so
after. placed with 7a & set in for some time.
dry & without. washing any the to
put on the clothes or flannels
when in bath goes. Tinct. Kous. Ol. Kous
3i. Alcoh. ~~add~~ subh aa 3i. Ol. Lavand
Ol. Nuts Ol. Mar.

a Pore punctate. minor of unplea
as in women. are the method

Talc. a ball. & appl. (Fluorine solution
sulf. verat. II lb. Cal. vira. lb. Aqua find
5-8 lb. can ad rem. 12 lb. then (probably)
Difficult to use in private practice
Use instead sp. Laps. alkali. not a common
flannel. but a coarse cloth or a brush
& rub in. Instead of Tar also the
Ung. Rochal Calmet. 3i. Fat. per
1011. gr. Laps. alkali. Ung. simplex. 3ii

(When a firm pruritic plaques, can mean
the Laps. vint. sp.)

While prap. 3i + 3i, good used
of Ung. Rochal. If a Pruritus, when
is widely extended in many, use
the water cure, in water cloth damp
4 hours & cold or warm drink or steam
bath & rub with soap.

When in single spots with few scurfy
in vagades denture I sent (1st) Use carbon
ball or emul. of fat. Al. Leberth
or ordin. Laps. vint.

If on P. diffused & deep vagades, but in
swollen blunth & rub in Leberth an
ungr 12 days. infl. is less. Use can
& rub damp 3 hr a day in winter

Eczema side of cheeks arising from

1) an acute flaring standing. of 6 weeks a
 skin disease especially on E. rubrum. comes
 most commonly in young children. It is
 often accompanied with the same on
 the breast - hairy parts. It is influenced
 greatly by the weather. rare cases

very E. and apply anything
 to cure in 8 days.

Eczema often comes out symmetrical chiefly
 in young children on the lower part of the
 face. e.g. e. papulosa. and also
 on the thighs. E. papulosa. a place where
 the healed E. has left prominent patches
 treatment. of Cad. & Cod. - a package for the
 E. papulosa. For the E. rubrum on the face place
 apply put. Sap. viridis in place. for 10 days
 & change it to an acute E. e. then use
 simple Ung. Draculi on about four weeks
 and so on

Sycosis about the angle of jaw part of face.

when found that women part of skin - face
 only one place attacked. not so common
 probably that a stimulus has acted on
 that one part. Progression different than acute
 & more favourable. only has lasted a single week
 then healed also for a long time without
 Pushtle was, evident - after cure
 and Ung. Draculi. common in a woman the same
 till further treatment.

Sy. wais both cheeks exposed to the heavy frost.

Thick coat of downy hair. skin thick-
ened a long continued affection. Head
shoes, soft head line. cut off with scissors
and apply warm compresses over night & then
shave in morning. Some time.

Lichen Syphiliticus almost disappeared. had

Sy. last December. an acute on the face arising
from the use of "Joh. Kahl".

Pigmentation of the skin a button on small
patches, accompanied by other spots of hair.

Some times enlarged in places.

Lichen planus came then sometimes when
a little before the cure of the Syphilis was
completed.

To continue the "Joh. Kahl" & "Bacon" pills.

Favus. getting near in. some fine
Favus. Comb all gone. only the sharp
defined. bases. left. 11. can. 31. **3x** of
water for a solution is anise the hair
in. First curies the bony is yellow. gold
color. The old people made the day
of the small a month or under

the larger subsidiary voluents of long
contoured. If short there not only
the hair attached. In the spot where
the hair comes out a small Kern
of pure head & round then the hair
spreads. It is penetrated by the hair
7 elements called when long comb.
When the comb left present the
growth of any hair. But of a short
time but no hair formation & the
hair grows again
than little & at a pace the primary
elements are formed
Differences in the primary when it
spreads in shape of P. Schenck on
the transverse they present a
sharp distinction between them & H.
transverse. This in the wavy hair part
in other spots with the hair & transverse
surface even as in the hair on
(a case when it was in the whole skin
& on of skin) yielded a fair spot spread
the much. Curves also in transverse in
dogs & mice in rabbits
what is the primary? Schenck discovered
the elements first in 1839 & was contemp.
The Achon on Schenck's O. Carter. J.
& the first one. The three forms of O. Carter

Psoriasis . a scaly - Psoriasis is different
scales. it has not a sufficient circulation.
Arteries when latter a long time ago.
Psoriasis it commonly produces
pigmentation of the patches
a sever fewer will even a Psoriasis
with by diating by derivation all to sum
amount. Chiefly in the leg.

If some this mean a Fluency is solid
should also have. Five baths in
the invariable case perhaps from
in the of 7 days is

28th

Erythema nodosum

legs & arms plain size of tablets. red colored
an infiltration in the spots. looks in some
places a little bluish green.

Come in young individuals. children. with
bluish green patches. often found swelling of
the joints & eyelids. sometimes chronic. most common
changes in the body like an erythema. in the severe
when a cutaneous come

Legs of left ankle & back of foot connected
with various series

envelop the limb & up of limb. Diagnosis
change in deep dotted for 8 days when
can might be used

Erysipelas

excludes thorpe. transmission will
seen again. recurrence it is again
far. it comes again also

Soon after acute disease. If seen & checked
- there likely to go. Usually accompanied
with a Schuppian formation a Sebaceous
Alcohol 3 v. gly 3 ii. for a week

Syphilide papulous form man splenetic case
7 months ill. still with indurated
in the prostate. A Rubo. suppurating
all over the skin of belly, chest & back chiefly
by s. - anus in a less degree numerous papules
there on the belly & chest covered with scales
& somewhat pigmented. There on the back
arranged for the most part in groups
situated longitudinally about the size of
a shilling amounting of 20 - 30 papules
Had his chancre in November. Pungent fluid
of the points most affected than the strachle

Psoriasis vulgaris remarkable case 1287

Affects the skin about the nail - around nail it about
4 inches in diameter covered completely with thick
scales - an elevated slightly thickened patch. Also on
the palm, wrist & scapula also between the fold of the
elbow. On the head a small
7th. st. fl. quite free. 2nd it once
stump spot has attacked - a great deal
another in last year that a good number of Psor
& great itching before on each spot when
healy - on the Psoriasis
has had the Psor. 6 years. at a few patches
also on the seen on the back

apph. Lanthan in the spots shade bath
daily; same with the head, before begin-
internal treatment. afterward Tar bath
take & pencil the patches with Ol. Zai
& Sapo on hand apph. to diminish
the thickening

29th

Molluscum Sebaceum

Woman aged 23. Many tubercles were the size
of a pea to half cent. most color as the
skin part. dark col. partly
some elevated in the skin yet & others on
them healthy & smooth. but one or two
comedones seen on them. The swellings
are soft. & if pressed get out.
When the tubercles collect in the follicles
& get born on the outside - a comedo
Molluscum sebaceum of small size & of get large
Sebaceous sebaceous. of mixed with much skin
tissue.

Syphilis papulosa a common sp. named
seven years 2 ch. dead. Small brown colored
papules covered with a thin crust of desquama
arranged in a half circle form affecting
the back of the arms. This comes often
in old people as one of the first appearance of
Syphilis after even 20 years of disease
the sufferer having been quite healthy and

Acne rosacea. One strongly reddened small

Two reddened vessels - no matter how strong one
pours a yellow color.

One's chaff from something been since the little
chaf. nuptialing & Schopps. Some who drink
too little & get bad nourishment. Of the
a few students are put as a school
& then a redness forms & then an acne
rou. Women with sexual desire, or stent
noting the sore but the cheeks also redness
most diffuse redness. Chon Magen, cald
produces it. Disturbance of liver. Piles or
may cause some acne with adeno-
id face & eyelids.

By evening take a warm bath & put up soap
with & rub it hard with it & then take the
bath. Ureth. Juice Benz. rub in

30th

Aczema octatum rubrum

Under stimulus & up to the mark reddened & even
Kuntz scratched this must also. The round
found swollen. On face, swollen & diffuse red
in face & cheeks. When any is sharp found
in this way it speaks for a local origin. The
some reddened about. On face & neck also wonder-
fully rounded. Different forms in diff. spots
Can with alcohol & Carbolic acid. If ven. gall
3 vii. Glycer 3 f. & wash 3 times a day &
then make ainglin will often make it clear
& disappear. When skin inflamed rubs
with this method but if not strong with

and much eating. Simple method will
do as open cut & oil spread on it
but in the above found 3 times a day
(on Tuesday? Feb 2) much better all nodes fine patches
only in the hollows.

Eczema Margination

On the inner side of thumb. when scurf
comes then redness seen the bump it
is bounded by a hard raised border with
all eczema. From an intertrigo first by same
same way comes in foot children. When
wounds long time then gets infiltrated & covered
with scales. Erythema red when out, red
when with scurf on. Eczema which
often in children a definite process forms
at these spots. In persons who eat much
then very common on the scrotum under
long coat. It infiltrates & scales over
it. When any parasite penetrates in
any external schidichment, so comes it
to form it is not sharply bounded as
at first but it becomes cut & spread an
eczema marginatum. These spots form
a favorable medium for all these parasites
These parts spread of scales in a grayish
form. Another form Herpes tonsurans
either as pin of head or circles comes out
in much a part when a schidichment
cut. It goes out of face the tonsure & an

after of some schedule & it develop the
as a paper hat under. When first can
find the Poly elements when old the other
infinitesimal cannot find them.

Then case, are tremendous, stationary
perhaps come after the plan can be
made clear as some remnants of Poly can
remain. I was a surface but change of
the only, make it more. Take care that the
any time used is pure.

Anything in alcohol for 24 hrs. then dry it
wash & follow every day.

Acne dimidiata

very bad case, covering the back & face
No good getting such a case into the hospital
though could cure in six weeks, yet a
new case would be sure to come on, perhaps
as bad as ever.

Feb 2nd

Care of Psoriasis vulgaris over the whole skin
diffuse & much scattered. Not very old
Prognosis is favourable.

Warm bath & daily rub with zinc ointment
at 3 hours in a warm bath (28°) when out
it remains - the tu. - still on the skin
placed again with zinc ointment & ointment
Face. soon healed. simply. Sp. tapes all
& very simple. You read. Confident
& very. If a relapse - which is likely as in
all hereditary diseases - a in Schellenger
is only a skin form of the disease. Herd
mark daily, all over & once a week a warm
bath with Euphrasia

Care of Lupus a woman

1847 & later

First heard in 1854. & then in 1869 between
the time with. Now a relapse. Many ulcers
& then cicatrices, then the length of time
which it has remained & not affected any
but the face. Nose point & wings quite gone
an ectropion from contraction of cicatrices and
time also the zygomatic destroyed by
it. These seem anything same

Lupus hypertrophicus

Young man 22. An acute

degenerative on back. On the right foot, back
& sole the proliferation from diff. growth in
it - which with the skin are covered & these
cracks are divided up with fissures.
Some more as diffuse thickening. On the foot
sole in the center a nodule & in the periph.
the same thickening. What is this? If the
thickening alone would say an infected follicle with
thickening around - a growth of the papillae
- small, growth. Syphilis is it not would
hard more do in deep. Then below
a Lupus & a Papillary growth - a
papillomatous growth an hypertrophy of
skin as an Ichthyosis but in some cases usually
be in large surface. Must think of Lupus
- a maculosis or tumores. Lupus does something
also developed such. Thickening - it is especially
in these spots: - Lupus hypertrophicus
comes chiefly in the toes, usually in early
childhood. Keep with skin carcinoma or
Squamous cancer. H. Amer. ad 21. 31

Aug 31 on lines, for 3 days then seven
Before using remove the thickening with
oil & penicillin. Must protect the surrounding
area with plaster. If well concentrated
Rohr extract, can succeed

Eczema marginatum

4/2/74

R. Acidi Carbonici 3ii

alcohol. 3i

• apply to the spot.

It attacks women sometimes & in both sexes is characterized by its remarkable obstinacy & tendency to relapse. Though when fully developed it looks & is in its essence precisely like the pemphigus marginatus yet the long obtuse curve of the one & the short & deep of the other & the a radial difference between the two.

Ethyria an enlargement of the papillary bodies & increase of the epidermal layers.

E. simplex see inf, polygonal spaces in which the under ep. is inf. them.

of ep. thick & of greenish colour. thin.

E. serpentina ep. much thicker & of diff. colours, & lastly when papilla are so great that they form projection in the skin called

E. congesta or urticaria arise after birth when a child has been neglected

and not in a head the ears are
chairs in them. often large scales the
a specimen from of 18th.

In simple cases the floor surface of the joint
the penis of the an. 18th. There cases
are the most common

Syphilis of the nose. (woman)

The nose very reddened & a slight soft
swelling no other changes seen. In the
nose M. M. a sub. b. a sharply defined
Is a Jan. a Lupus a Syphilis.

An abscess wh. one day last year, I
simple. Lupus. before it in one point
under the nose. It has lasted at
least 1/2 a year & even the "seasons"
would be affected.

Syphilis & a Rhinoma scleroma. a peculiar
effect of the M. M. of the Rhinoma. as seen
with the Sarcina.

Can be nothing but Syphilis. with which
a sharply defined ulcer & the Sarcina
& a small part altogether.

Is it an acute or congenital. Not a
recent form as the Sarcina & Rhinoma.

Eczema acutum. face ears & right ankle
all joints. erythema. also itch present.
Does the ? depend on the scabies. In
the face, no gang, as the face he has
land been round in with some plaster
& caused the Eczema. Arica treatment
use to many cases of Eczema & not only
in the place applied but a wide space
on - in face &c. Not unsuitable
the challenge for the propolis.
Treated with Ury against
the scabies & use Ury Draculi on the
face & ears against the Eczema.

Pityriasis versicolor. differs from Chloasma
in that when you scratch it can be removed
Palish evenly brown. No itching.
Come chiefly in countries where plentiful
evolution an even not the skin, when
it has lasted long usually a little pigmented
beneath. Ury. Ant. Carb. 4 or 5 grs. of
Rusi aa 3i. Coral alba. Sassafras
Ury simple aa 3ⁱⁱⁱⁱ. Rub. Peruvian 3i
Take a piece the size of a walnut for the chest
& another for back & rub in & when in
3 days when the skin is spreading no matter
continuing the rubbing for 20 days & then

for two days continue to apply the salve
but without rubbing in & on the 9-10
day take a bath

6/1/74

L. rubrum ^{in head} only in grown up persons when
in the head & mouth. can you use for
if use in children & women in the con-
dition you are apt to produce swelling
and suppuration if the cervical glands
Sp. ven Gall 3 M Gly 3 R. to use after
the tar has been employed for some
days & afterwards with any tar powder
Boxer alum aa 3 i. Gly 3 R. is good
also. at first put it 2-3 times a
day with the tar if well borne continue
~~the~~ the last if not well borne use
the Sp. ven Gall. Gly

Eczema papulosa.

along the inner surface of the leg
wash with Brandy & the powder with
meat or astringent

Prurigo

Dark pigmented belly with scratched
blisters. On legs a brown looking effluvia
over the skin & blisters also. and when
feel fond skin thickened & infiltrated
especially inside. Have to decide bet

Psora Scabies & Prurigo - the three that
produce these excoriations on the skin

Pediculari - the recurrent longitudinal
Scuties. It is pigmented too but look
at the hands but may be a ^{only} residue
of it & then difficult to decide. Much
the credit of leg. examination will not
be such thickened skin or covered
with heavy powder. Again the An-
cervina. The hairy and probably found
it has failed from childhood if young.
In axilla often found great secretion of
sweat in girls, boys. There are secondary
appearances, but always. Butcher will
wh. the disease begins on the 1st or 2nd
month. Butcher, concurrence. They lie in
the skin & cause very great itching
In young person the Butcher mixed with
urticaria patches. When Butcher, not scab-
by, papulate & enlarge & break & form
Borken. Or it may be complicated with
Eczema. (When long standing find
all evidence of pigmentation absent
on the trunk)

7/14

Sycosis: Is a phlegmatic inflammation
of the skin with a superficial or other
inflammation as Bozup may attack
the spot or it may become relapsing
& must not be mistaken for Syphilis

Syphilis

Primary & second are alike in their
nature & even in their course. Only
different forms of the same affection
(^{cases} Chancre or vice. when infect himself
of an indurated part or a soft, of the
deeper parts or hard one)

9/2/14

Prurigo & Lichen Vorticatus difference

Lichen vorticatus. No itching. localized
affection or of general not especially in the
extremities. Scarcely so general
& it can be cured. Pustules or crabs never
come in this while in Prurigo they are common

Eczema rubrum (see in 1-6 pages last)

comes this morning with an erythematous
swelling over the body & altogether much more
faded & line of flannel & rub the body & legs
morning, evening with Zuberlin & Ol Cadini
as a pag. or perhaps as acute appearances
in some parts are not so. As can

d. for accl. 3 or 4. Add carb 37. more.
sapply softer powder with Amylone

Acne disseminata & indurata

over the whole back & numerous
comedones scattered between them
To calm the comedones. apply 87 cups

all the indurated spots must be sign-
ified & give Sac Sulph Gly. about ^{carb carb} ad
pt as a Fleming's solution & rub
in

Eczema marginatum

Herman has had a case of H. tons. in the belly
and 2 Moque in the same region

Carbolic acid 1 to 100 does not destroy the
virulence of the B. ty. element must use
a solution of 1-50 1-60 or

Eczema face & arms. on the face much
irritating on account of the numerous comedones with
infected bases. come chiefly from over beauty
sufficient to apply cold compresses

Syphilis

cicatrices in many parts, legs back an
of. Rupers Syph. Only 2 years since
had a chancre

Purpura rhomboides

on the flukes of legs. pale red in
most red spots which do not disappear
in pressure. a few on the belly. 7 or 8 spots
always in the pressure. here does not disappear
have to do with a hemorrhage or fragment
ation. A case of Purpura. Levelled out

P. simplex. Some people have these
on the legs spontaneous. 2 or 3 or 4 hours

P. articularis. Some people in every
year. discontinue of system especially
the stomach get worse in a number
these spots see. Purpura spots.
A Purpura. Rhomboides or Purpura. The
comes with them. The red spots on the
at first partly disappear by pressure
afterward not. but the stiff points
of hemorrhage are seen. after first all
are gone with these.

Purp. papulosa. on legs spots (back) in
couches or under after sleep night.
Rashes. It is a haemorrhage which the
spots are raised in Rashes

P. variolosa. In these cases, when the
in the may point haemorrhage blood in
other organs. in the body, each in every part
they usually go to the before the spots come
out. P. scabritica is also another
form. P. simplex comes in young

individuals. They are often arranged
in groups. Not of very much importance
change, even but keep a permanent
position. It comes on as a chronic affect
in different individuals. Viaduct.

Care of scabies which has been cured
I had left the Whibelah for 2 weeks
returned to the with a heavy looking
on the legs. the skin of which is also strongly
distended and itches much. The question
is whether this is but a residuum of lea
or a Prunus. Many a case of scab
yet remain & some on the back for
the longitudinal arrangement of Pader

Lymphitis of nose

A young man, nose much swollen
narrow at edges of nostrils. and then
inside the septum is gone & ulcer. present.
Either a Lupus or Syphilis. Which?
L. not in a cyst but in the nostril in
bone. In the. Lupus near nostril such
a case under & leaving the outside intact.
in this one found that out the Lupus
what from & where. Curing soon after birth
as 3 or 4. Pump & Pal when after birth
not 3 or 4. skin also white & in the nose
when later 12 or 14 years then on under the
a deep ulcer which rapidly cicatrized
about in nose. lips & the mouth

Process is gentle in a few days, during
the more. Such following again repeated
accumb with true decumb loss of hair
widen & twisted. Laying. How now it
is a congenital? when found such a case
in 14-16 years or young under when
girls, not to the ill of assumed.
Ch. syphilis in utero may somewhat be saved
by a healthy milk-mother & when the child
cure the disease usually is by Phlegm
Purifying Syphilis when with birth got
removed in 20-30 days but maintain
& Patient from may continue. However
known but one case of Purifying Syphilis, removed
by a course of injection always the best
when from the birth of ch. 9 days & interval
a favorable prognosis. The circulation
shut out of not noticed may destroy the
more & a not notice till it shows itself.

Scrophulous ulceration

Found in the left breast may where
cancer then found. & the border sharp
defined. Also a spot when an abscess is
seen also found in the breast
under the right clavicle where a swelling
depressed. What is it? This is the scrophulous
a L. scroph. or Syphilis. Lymph never in
this way. Cases of it in Lymph. This held by
I have understood also found the exact spot
of gland on axilla speaks more for scrophulous

But also in S. erys. since it is much that
Germ. puritatis, but this exceptionally.
The one open ulcer spends for Syphilis but
the rest of the eruption is often spent there
for Scrophulous. But with that & another
acne pustulosa vel. v. v.

Acne of face & nose & chin. along dorsal
thorax. pustulosa & by to broken & when
narrow get a suble. loss. along by women
with deranged menstruation. May
be mistaken for Syphilis. Occurs by men
in derang. stomach. The crusts the redness
at the base & when they are removed the
suble. loss are the diagnostic points.

Lupus erythematosus vel. ery.

On face, chiefly, thin white scab. skin.
are on nose & cheeks chiefly. Cannot drag
from face but can from the situation
often. There are then sunken & surrounded
by normal skin. They are the most
of L. erythematosus. In the scab. are num-
bered light brown spots. in some more
reddish brown. For in L. vulgaris must
be distinguished. For in each of
hair follicles small red pustules which
have red. border. 2nd. ones are
accumulated about it when removed
along with the follicle. Resembling

evolution & principalities who enter,
periph. & heat centrally with a thin
hardening. The circles merge & give form
as in *H. tenuiculus* & in the middle
either, coral or brown marks.
when the same other glands have been done
the skin presents the white unclastic of
other part. all at head. & fingers
have falls out & have f. blacker, indented
& covered with scales & some eccentric
form. May also ulcerate. On head back
from great birth like *Peromyscus*. In skin
much common of the left affected. & with
epidermis covered. Comes out before the 20th
year & most in females when an ulcer is seen
why call it Lupus? & a I come from the hair
follicle & glands why not sebaceous. When
in childhood about, good the disease
are done but not in even second but chronic
head in *H. vulgaris* have in cutis various
growths which pass up the the layers &
are seen as 'fleshy' in the surface in *H. Eryth*
found that these the sebaceous glands, not in
with the same growth which come from the glands
The same cells as in *H. vulgaris* same growth
in one more degree. In *H. Eryth* more bristly about
the second & sebaceous glands.

Prognosis. It would rather be said a I cut
of the whole form that *H. Eryth* of single
spots as *H. Eryth* is it. The duration is very

variable & maturing. Must be at intervals
7c good nourishment. Colch. out of
local use & method. After the follicles, with
current. I rub in Laps 3rd
alcohol 3rd filler & add Lf. Laps. 3rd
- Lf. Sap alkali. Take a piece & rub it in the
skin. I find the follicles & after it use
Pru. alba 3rd very simple 3rd, or very
Rochale. The other method. After the
Laps 3rd in 10 till inflammation comes on
with flammation then a whole night apply
in single case current. ^{cannot} use Laps inf.
inf. a solution but spirit. put powder
a piece of with S. viridis long apply &
Carbol. acid. poured in it from neck.
" " & alcohol too. parts. S. viridis
pencil in the skin after the application of
the S. viridis. Chrome acid & HCl out in
long time 14 days between. Hake can
with O. powder equal. leaves no blood
behind. The acid is there & can use it
very two days. Also means for treatment
a very Hg. & 2nd glycerine. The latter para
but especially if used after the S. viridis
No other lesions in the Laps are attacked
not in the more ever destroyed. This can
be remarkable for the fact that he was
but attacked in his sixth year.

Lecanora rubrum (see last place back)

Better than rubrum. rubrum is more
now ready for tea but as do not know
whether it will be with some use it out
first over a small surface with the radiation
when it turns too much just apply a little any
I better in out-fragments to use rubrum with I
12/1 rubrum can well on the neck. not as well on the legs
13/1

12/2/74

Lichen and rubrum

Have aged 33. in the same after an entire
anemia of his head. At first stand single
after age, become covered with schaffer
in this district from Protonia which cover
when present the same effect spread peripherally
in this the disease found other Protonia many of
the Protonia has much the middle of the
safety found in the people the most has. Many
times a person in the skin a much inflection
also a high degree of current more
with a great pain. Nails also affected.
Have falls out - if take out the Protonia, the hair
falls out - the skin is in the Protonia
sometimes in the glands. 2 get the charred
from acous gland. The cells of the hair shaft
proliferate greatly, project out & look like a group
and gland. Small follicle enlarged. But a few
do, now called Lichen. old Protonia named
many so. Two more Lichen rubrum & Lichen
rubrum. L. puberula is not a Protonia
L. urticae is Urtica pubulosa. but two

time. Hibernians. Curious in some of the highly
persons. often in some, the society of
single case a woman, an acute foliaceous
in the (trans)lucous, then in the breast
& other parts & the a. powder of Puer
in ground, going. In long cloudy the
person get so deep that pharynx is lost
in the face - the old Schenckian. Patient
about the eyes in some the mouth
His terrible disease & the more case of
Arteries. must be in larger doses
he begins 3 annals pills after eating
& then iron powder 5-10-12 pills
at first, see in months but gradually
in 4-5 months a cure. Pigment in
narrow behind after the cure with Lich
also see the same in Psoriasis. Must be
local treat. warm bath 3-6-6 hours
& send the skin before with tar. or
water above of ragades. water, no soap
it for a. foot with they shrink then
tar & baths. In many Arteries there deciduous
ml. after measure in the pills to 10-12 a day
of pain in stomach, occasional vomiting
again in the joints. H. has seen only one
case where 20 pills (Aqua) & 2 g. are more taken
daily by the patient. The gold fever after it
but the L. Typhus or Arteries is cured
with certainty. The true disease which in
their great manifestation may be much
for me another "Psoriasis" measure

Lichen vulgaris & Rhytisma vulgare. In this case
no anemia & Radon bath chlorella used
many months for this man. Anemia with
apex near months before eye needs.

Prognosis

Rapidly now what I speak, need of diff.
Not much infiltration of left eye man in back
alone & not with a touch of retrobulbar out
of eye. All that & when come out of back use of
very Rochade. not the whole & Kine but enough
for now. at a time. I used an eye. Brown
in the face.

Syphilitic infiltration

On the man with a right shoulder. need of
& fresh infiltration about there. The eye also
left by the use of the camera. an eye to be by
a strongy power which is a shadowed in
in the face.

Wing. Glycine (3+ absorption. 3+ gly. with
the maintenance of an organism.

Prognosis (see 28th Jan) - Has had a course of
2 weeks. 2 a day for 8 days. then one a day
& now has his eye on his hand & face. no inflammation
but the point about the nose is still much
infiltrated.

Syphilis

Range in character. The early stage

is marked by following in progress of ulcers

Chancres: partly soft partly hard

After a gangrene you see cytes covering

follow. Soft ch. a part. with a soft

ch. can create a healed & after

1-6 months found a placid epithel.

see the cicat. indurated at the base

the perfectly soft in the course - a

ch. grows

Pityr

Men 40 years looking at skin dark

red brown in face. Other normal coloured

Many wrinkles in the face. Slight it. of face

The vesicular eruption covered & prur

increased. Skin also absorbed thin. Mass

that strongly marked & thin. the skin

in wrinkles. Pityr red for many days

when the skin was off. washed with

as on the head. a Pityr. a fine fine

Pityr. color. Out. ment. of skin. after

with redness of skin. Out. the skin. Pityr.

Pityr. into some bold extent with

E. granular. not so. Find. under

light red colour. & it is with white

light red colour. & it is with white

small & shaggy actually rather
detached come again. A diffuse
inflame of skin is possible in this
Generally over the whole skin & part of
the whole under is often in great
appetite. In the Benga flocke given
for not even with shape a sudden
all made under 20. an experiment
in this. As for instance 20. the last
get stronger, same with some
only the water used & bath of fat be
treated. A new with bread use of
fat. This case is somewhat exceptional
has lasted long & gave all the consequences.
The fourth case
in 15-year woman has been

Herpes tunicatus S. marginatus

Patch small size on the upper
part of left thigh in the center ^{round it} schuppen
x blacken from other sides. In the
middle the skin is dry blacken
^{stand} in groups, some called Herpes
hereticus & scaly, purple & called
H. tunicatus. Crusts in the center her-
net schuppen. It is an Eczema marginatum
It does not develop as in another place. Not
yet an S. margin till the upper has pas-
ed the limit of the crust of the scutulum
How arise? same cause what came all P
skin down, then the lichens or if it
gls. clumps & lead in the crusts then P
element form & apt when the clothes put on
get H. tunic. comes out clumps in hairy parts
& scaly. If latter more pale red surface in
center dry & spread in purple H. margin. Or come
as blacken on the tunic. venenous. They
last 2-3 hours. dry & new as formed, as
H. tunic. squamous. Structure as Herp. tunic.
purulenta & they come also in crabs
In the hairy parts a hard, then no blood
only schuppen. Hair when P. grow breaks
short. It comes seldom in head but if spread
to the face spreads out as H. tunic. venenous
The maculosa form has a great maculosa
to a macul. erythematous. Along when view
in H. tunic. more even center thin & also
fine in center while syph. out infill
in the skin & may be pigmented w/ any
seashore w/ in a very limited way

7 Herpes. on the Pelv. in the 2nd. part
I off with soap. v. d. is a Carbolic soap
sp. Saps. alkali. on a flannel. & are an
ing. simple. of widely extended
a bath & one the Laps on. & are very
embolic. at ca 3 1/2

On the genital & inner surface of thighs
& 8. My comes out on these spots & are
dark & constantly new. After a few
months location & great fresh return in
24 hours. Cause in in Pelv. nature in the
other organism in it. when they get the
hair bulbs. & when the glands are in
few months or more. suffice for a while
somewhat. also also. Reaction & return. More
occurs. There again for the. are very
cells from themselves.

Herpes tonsurans maculosa unvaricella

Herpes tonsurans. This patient presented
the appearance of me suffering with a macule
cytoblastic inf. in some spots under the
vaccines than other parts in the center
covered with scales. It was widely diffused
all over the trunk. Are the very poor
or in the day. & then just take a bath after
in. St. Peter.

Telomina

Impatiens also yellow, but of reddish. also
on this anflage of Epider. - Telomina
the the green arices are in the
layers. Look like a Pers. spang. but in
the periphery always the grey find. At
the parts in the latter are attached
Painful at this work. Handedshwa to
be worn of Caricinium. Food also in
E. of hands. into P. Dubois. often given
with them.

Cezemina . papulosa & mycetozoina

The former part all over the body, & one

" a spot sharply bounded in the thighs
of old much skin. It is more of a heat
disease here. I can not suppose with
for instance. Since I got on plain
the 24 days wear in of gutters with
Nat. cases. & after the pro. cases in
Collodion. All suppl. as 3h. Corom.
rubber 3i. mine, & apply & care
no pain. & the epider. is saved in
the skin. The feeling of burning is
much preferable to the patient to
the skin. The pain is caused by
the Nat. case. Lapis volutivus
not good for them. E. must. but Nat. sd.
also good.

Urticaria

Third time. 1st evening & days second
& 3 days. All over the body except the thighs
when there are Pimples. the disease is always
more than the depth. differ about in
the periphery. Took nuxom. even all the
days of the glands. Brandy & sponge
the body over & after every time.

Eczema cap. middle aged man. extended
over the forehead & ears. deep redness
behind the ear & around planned under
Treat. Very disagree for ears. Hoff.
Separate some of the Schuppchen & see
what is beneath & found the skin yet
moist. Took nuxom. at. for the re-
moval of the crusts. Use with a sponge
& put planned in for the night
after this use Tar as far as I know
another case is above. is more pustular
character. Very disagree for ears in Very
Roracis. St. Jeon Anelli for head use for
some days. & afterwards as much as
possible use those to with alcohol while
in the former case infibulation till present
use the pure tar

Eczema universale

Child 4 years old. with Prurigo
combined? All over the body. No Prurigo
or skin is soft & elastic no irritation
no Knotches. Use Vaseo chaglin on
bath & apply planned on it

Argemone parte. 5-annu; 15- Syriaca. 125-

Foot: The only parts of between that H. ones are
an a diaphragm in it is that it does without
its surrounding part - when laid in a pressure
it becomes a good flat scabber and it

Couchon garments most useful for all
these chronic incurable, skin affections.
as. Schell, Penn. wear them in the night
and wash in the morning, & then put on
ordinary clothes in the day time

Favus, & other Parasitic affections use the pure
carbolic acid. weather is not much good

Eccema capitis local, confined to front part
must distinguish from Seborrhea

when Eq. over whole head generally a
comb. of local & local cause & as a
rule, Ped. caps. & find the key in head
head & neck. In front it may occasionally
does follow a Seborrhea as in this case
Healthy strong chd. are as often or often than
weakly ones attacked by Eczema, but little
that breaking any E. caps even causes meningitis
of head. wet & ch. we all have enough such
a one must be treated differently from one
as with. Eczema & Scabies. Let it remain
untreated as long as possible. take 2-3 months
for the cure it will not salve or plaster
but with scife then take Lintimentum in a
spray 2-4 times for 2 days & then apply
the salve. Ox Zinc, Ph. Carb. aa 3j
Sepia 3j. ol. olive. Su. sat. to make a soft

ing. when get it do not apply it
in these kind but continue the salve or foot-

Impetigo in adults always a result
in various influence on the skin
as for scabies, Pediculatus, Cold. common
infectious diseases, damp chills all
come it in adults. Also in ^{leg with} various veses
legs. One species of impetigo. Some dis-
eased in what to ^{disease} women organs upon
the skin. In various of which from both in
in the body. some points with. until
it is removed from & also come with
it impetigo. broad black & pustule
from. I may form a deep ulcer from when
last long

H. Ch.

Flor Sulphuris 3 ii. Ung. simple 3 ii. Rad
Pera 3 i for a ch. 3 months old
4 times altogether. Let them bathe with it
is healed. The art of eggs are. Very simple
& any. of an old child 3-4 years the
of Rusci Flor Sulph. aa 3 i. Cula alba
Sap. vireidis Ung. simple aa 3 i. of
extended. Here are the modes
Flor Sulph. of Raji aa 3 i. Cula alba
3 iv Sap. vireidis aa libram. Baranag.
for 10 persons. Then a young man
use the salve for 8 days & then take
a bath.

Unit Ruri Her Sulph aa 3 f. Cnta
Saps virid. Ung Emolien aa 3 f. and
Nat. Perm 3 f. use a flamm jam
after the ung apply any time. Use here
at Styra licq Her Sulph aa 3 f. Cnta
Saps virid. aa 3 f. Hard, use with
rub with soap rub with H_2O_2
or with Flemox rub about in one hour
with fine fine feathers. Put in the bath
out in the school when the most young
are. Rub well

Psoriasis boy. chiefly on legs. Plon flous
scales not much. send in a bath. rub
with lard or seipierit & rub with Tar
on 3-4 weeks will have disappeared
Pediculi Pubis. They spread very far even
to the eyelids. Use. Fry Ung.

Dermis Syphilis affects about the face as
in the disease when the abscesses are
not characteristic of any thing give a white
Punctulate Ung of 10-20 grs + 3

Palmar Psoriasis

often comes 20 years after the first
Diff. looking sometimes for redness
& discol. look at the surroundings & at the
mouth, almost always find signs of the
then. Use Rub. H_2O_2 in linen. No need
of internal treatment

Acne Rosacea. I found it to be due in some
cases, as in a case of it, to too much or
too little - a Persicaria, if stronger or
seborrhoea. Inflamm of the gland is acute
of both talg glands & hair follicles of both
when most of the form naturally they are
more inflamed & one versa.

A Pat may get it from a much food in town
& can study it accurately. Brown is peculiar
into a stronger species of sebum. The gland
enlarged even like nodules in sebum
& may attack very many of the seb. glands
Finally of Brown contained these glands
inflamed & pustulate. Other medicines
act for outside. Tar, petroleum

By a rose can be moved, but will return
Therapl. can be run the about, scarify a
rubby with some or up soap all at & up
with Lac. but the skin is moved in the
begin by this in 1 & 4 weeks. Use in the
case when soon come point that vers
at build. In then must scarify the
veries with then up. apply alum in the
& dilute the veries, also out of the
with sulfur, & get 3 or 4 in comparison
then much infl. scarify with any follow
of veries & give Buns 1420g of may need
me with very Dracyle. When new form
be able away with sebum & knife. In case
case when swell is evident. much infl
be able Buns 2 an acute with some

scars & get an acute inflammation
helophores glass ocar. Don't know return
them ligors. To come in 14 days (see 15 page book)

Promaria. hereditary often but rarely
comes out before the 2 year M. for
infection & come before their time
They are never born with it
This case is common in the family
may be it as a checked & more be
had it 12 months

Commencing Impetigo. long standing
often comes in this way in small about
individuals

Warts

26/2/74

The broad sitting warts on the face very
rare with carbolic acid, when of
pigmented. I put 1 alcohol. pencil
with it. a platter with a penicillin
with a cut only the wart.

Syphilide. (polyarthrosis) . Maria

numerous livid red spots on back half &
over surface of thigh. single & confluent
as a marked skin on a syphilide. S
some small persons get when cold this by the
disting polyphyl. red in purple & white in
center & with human pigmented of skin
other species H. lower abundant no
schroffen in center. (2) Numerous. Bristles
on forearm small & partly with

Scales covered in papery spherule
(3) besides these some layers - with
scales on them a Parnus spherule ⁱⁿ this
the infolded way marked beneath & no
blood when scratched other spots
recoiled & shown a substage line
& shown a sharp border where
at other spots a thin film
add notes when butterfly touch
the legs of placques remain
Hatched. Parnus off on back but
not over the surface but in the skin
& cover with scales. Forehead
pale red & scurfy.
The skin of a maculipith in cutis
gr. in upper parts. Next layers
hatched when surface from prop. & go
further off broader & other where
pith have died to scale. B. 1/2 ft
other examined & a color have
Parnus also ^{covered} with scurfy even & a Parnus
present. Has had the cha ^{new} begin of November
off but appear 6 weeks ago. put under
head & for them spread. Head changed
also & been put out sometimes
There flat elevation spot on back even
in conger spherule with cha. but when over
then from of main spherule near & shape
but the present. going down often

Sycosis of immature skin. 9 months in
treatment no recent inflammation about it
Talc. Sulph. 1/2 dr. & dilute 1/2 & use for
about 14 days. shave daily & apply
after the applicat of the emulsion
Sandwiches can also be used. after
care of old eyes be used. after
use. Talc. Sulph. 1/2 dr. carb. 1/2 & 1/2
Pur. to a 3/4 oz. weight in 2 or 3 oz. of
the first form.

Soddy in nodes with fine
and sometimes wonderfully quickly
even after a month care & has been used
internal 24 grs per day for 2 months

Furuncle treatment. Must remove the crust
with oil & maceration. Then the hair must
be removed. no more needed. They can be
removed with the Japanese alk. or alkali
3%. Carbolic acid 3% & wash twice a day
or a Sublim 3%.

Cystic Scabies good. Chief thing is to keep the
head clean & pull out the hairs.

Purpura. Hereditary or acquired & also
the result of a diffuse redness of the
legs patches of. Cerebral eye with
do not disappear in pressure & in the
center of the pupil. Whole symptoms
spread from the eyes.

Prionocera uncinata. O.

Feb 28th

Syphilis. Hebra hold that the down-
into Primary & Secondary symptoms suffices
will sometimes get the first appearances
in the inner organs as for instance the
Liver producing a jaundice of which he has
seen several instances, or in the Kidney
producing an albuminuria. This only
because we see the macul & papul. eruption
on the skin that we call them the first
symptoms of the disease. Fever, Brain
affections or Mania may come on with a
papular syphilide. Interesting case of a Russian
Colonel who went out of his mind & in four
months after that got recovered. Cause of this
that manufacturer with Dropsy. Had this a
syphilide from years previously treated of Syphilis
who did not know of this, Hebra mentions a
good deal under with a ~~very~~ small lesion with

Stand swellings. H. does not believe we have
any means which will reduce these not both
interior or external not Colic or oil. But often
seen after Measles or Small pox, occasionally
after Typhoid, & most plentifully after Syphilis
and will remain for years

Empyema cutis. H. does not know whether this
is such a disease as whether it is not only
whether the members of a family exposed
to the same conditions all get. No doubt
the disease exists but its contagion not proved

Not probably a Pity disease.

Faint. when eruption gets upon again erupts (H)
Leucopathia

Impetigo near all over the body
& pigmentation over the trunk from Pediculi
a round thing in the middle of the back. Pigment-
ion & the surrounding neck in pigment
Hem in the ab-spots black however. But of
all eczematous trunks on neck face lower
part of belly & pubis. In animals also the
leg is also red - & in some at a distance
when all over equal get the diff. complexion.

Syphilis. tertiary form papules. arranged
in a circle on the right ankle & back
of foot. Woman 53 years.

Eczema. unguis. By 17 y. and some childhood
in back of legs also E. unguis. on face

Ichthyosis part in it - then 7 years treated

Eczema skin & head. many crists. Never
applied anything in it. Is it a Pruritus
distinguish (a) The pruritus of the shoulder
& rest of body. (b) The matter of the hair on
the head in some places with a fluid
(c) The margin. not of water but of oil
(d) after treatment see if. scalp is not
upper lip where with some scratches
Cant. an 35 301. of Leberth. line for

8 days & after that Yar - p...

Acute Rheum.

Schnebel and wife. Subst. 4 p. or put safe
same. etc. Put. Laps. always there. Sees
are 4 p. or 2 times. good. etc.

acne was usually gets worse with this
beautment in the first few days but
soon better

Lichen cartilagineus 9 vols 10/6

Each articulation 9 or 10 per
different effluvia. Now

wh. passy on the skin pale red. & bluish
them. then arranged by measure of the
others. live & red. like an egg. then small lips
It comes out of children. in the throat

also Zoster. Near a similar case
on 14 Aug. 1888. in fact a faint 3-4 pm

destructive work. No change in climate or other
much as possible. Laid down in solution. Pres.

gr. many. 7 much. I used to see a lot of

of course powder with starch
of course some are simple 1/2 doz

Serpulone's child. with C. rubrum from
the bath. in 72 h. later than in
12th dose. Then Carb Soda 1 lb. in 12 d.
before part 72 in 72 water & drink. & the
1st part of the Soda in 2 min & then part
into the bath. acts wonderfully well
again. Also against Lupus. & good
at day 1/2 hour in 1/2 dose 3 in evening
before 72 Carb Soda 3/4. as much
in part of the dose. in evening also better
than good internally. Even against Lupus
& will give even 25th in a few months
on the hands for a long time. By will
even fall about 25th. 25th. 25th. 25th.
of ordinary oil

Lichen intricatus. By 15 years on hands
no erythema about there in other parts
this moment at chronic. often in foot
back the base a little haemorrh. - a
Purpur papular. in the same condition
Lupus

On the people of serpulone about. Lupus will
begin after & long after the original disease
is cured

Lupinus Dry, Stomatocoles.

7/3/74

Can never say on this what medicine
will prove effective & what will not.
A mass 43-70. On right cheek
& a little on right corner of mouth.
It has been over 2 years now & also
on left cheek but this part was
cured by a salve & even might
have disappeared spontaneously
a little at times. some do very much
Belmad. Serrapens. & Serrap. Hydrarg.

Syphilis of tongue

Tongue & cheek, ulceration & sore
more ^{a Syph. not cured} ^{4 in these cases} may have had 20 years ago
& yet the ulcer which was of Ulcer
on palate & have on other appear
syph. ^{Excluded then} ^{by} ⁱⁿ ^{of} ^a ^{part}
tongue many & get kind of ulcer
another from a Syphilis or Syphilis
a Syph. of 12-14 ^{standing} ^{comes in}
tongue given a fine. Mucous, painless
thick & white till size of hazel nut
as though any thing of a granular may last
some years & these ulcers. Patient to
greater in appearance, broad &
when they stand & spread rapidly
degrade but ^{Case} ^{of} ^{syphilis}
Tongue very well & well. ^{the}
In most cases 9. Syph. not alone but.

rec. of Epith. single. When ^{Syph. ulcerates} ~~the~~ ^{it} does
so very quickly & has much pus. Has
in Epith. very uneven, in Syph ^{on sharp border}
deep. Epith. hard. Syph. is in
hard & out of growth comes diagnosis
due H. I. in 3 months is healthy. If Can
H. I. no influence H. I. is in there can
a change occur. no effect before
4-5 weeks. Also on Tongue have then
Pain in arm & in the time of voice
can he infect or not? Secretions vary
in a Cortis. child rubbed off & pus in
blood and ^{or} up a infect. into a follicle
& infect. or the are acne, or Pustules.
The sec. is salivary infecting. When I find
no change. Still possible a cellular
element, also in a case, are needed
without any abs. of small round
bodies, from Arteries. a m. syph & H. I. such
will never be infected. If a strange Arteries
infect a such a H. I. such it will be
infected. either on the wait a cough
the it infected. or Arteries no other
aff. but the the small only. a syph
ch will never inf. the small but it will
a healthy Arteries. The small is a
Spermat. Syph of Par. ^{from skin} come over from Jaws
& more plentiful. Divert & Smequa
in sperm more present. No read
blood. sal. chem & small all
will infect.

what is then a recent cold. I. by the apt
ing tendency of the. What is the real pro-
a Ten. a recent of broad candy, a hand
chance he get a hand ch. somewhat
Koreals. by what is important. get what is a
chance. That the Cha alone is important
is untrue, All the recent forms are
Tisheng who after long time come out
in the ch. not without a few part
ing little in the child now apt to
be profuse. Ten in parents not
can be in the child. Improving. Not
succeed. to infect with a guarantee in
healthy. buds (one a from care in favor)
On exceptional does. Can we ever
there, ^{have} ch. in September? Once have it
all over so now. Recrud who say. I
is an inevitable disease. Must say
that the ^{trial} even healthy is not except the
relaps are as a rule but the longer
it lasts - ^{and the longer it lasts} - the
in both the interval as long
kind of healing in the evolution but the
relaps become less plentiful. Can
we a second time be infected? I have
believe, but now so rare. where
say he would have had a test form
get on a fresh chance disease
Recrud say. when one is used ch. not
never for a ch. another to come

Can be grateful. If a hand I can get a
sufficient one. & for this reason I get
several others.

And he heard by
the treacherous sequence (faded in hearing)
young man. all over the town & out
so much on legs & a little in face
& all numerous recreation, as well
in paperless some of the an hour
with scales in center. The general
is to H. town. I am a popular
of white. Distinguish the the scale
in center of some of the effluvia.
Has also an anaphora of epistle in
mouth - in checks. No behavior that
he has by. 2 or 3 years ago, but that this
is H. town. I am. A hand diagram
in private case would not be at them
yet till see what it would turn out.
Am very. Cont. to also

Printer. (H. H.)

Woman with child. 7 or 8 months
numerous recreation. no distinct gang
any amount on legs & arms. Involuntary
itching. A. Printer. depending on
the pregnancy. Child has also yellow
also

Lupinus erythraeoides. L. also in L. of face
dermatitis a whole family, especially adher-
ing to them. Can be a universal disease
of H. front can cover much of some of
ground, going. In case of L. ery. with round
lips (A). Shown plates of it on the body
head. Cymura just described under
this name. It described at present
as L. ery. in comparison. The first case
was acute & healed under simple
salves. Up to 1843 & later it was
ordinary. L. ery. & after and then
cases which became more general
frequent & died. Now we can say it
is a localizing affection & may run
even a fatal course. affect the whole
body. Some can be treated & stimulate
in their course. In the face alone not
so difficult to diagnose, but very difficult to cure.
On the body a general outbreak can be pre-
sented in ways at some points of the
course. L. not wet. no itching
no crusts. no itching no pus. An
intense redness of face and skin
Pruritus also may be confirmed. no
excubitus. then as in L. vulgaris as it has
no pus. Then the course is different from
Pruritus when scratch is blood. When L. ery.
very flat excubitus are very flat & thin too
on the body as L. ery. with small
pruritus itching not unlike Pruritus.

but nothing in it catch the same on
it not found of Yuden but found Liban.
The people spread a circle building in
my masterpiece single case
have not even means against it
after a E. has attained a certain grade
in the people attend all not means
gather ^{calm} cease in power some can
be sensitive that cannot even bear
a simple long glycer. Now Helra uses
the scraper. & thinks it the best

Devotion getting no good to use at some
depression & twelve days. It uses it
for 1000 days continuing

Impetigo Contagiosa

than with thick semi-dried pustules on
the cheeks & chin yellow coloured. By
a single & stand on the hairy parts
then a single pustule dried - am kept
in a lot of moist effluence as E. impet
drip contagious. When some hours
and some sort of pustules on face &
medicinal at all on any induration seen
there but some not proved. Pity some
lasted it 14 days. ; Sublimale 12 gr.
to 1 lb of water. & improves
the student allowed himself the unpur-
will the matter for this case

Lichen urticat. (see few pages back) 9 yld. 19th
many come on lips & mouth & other specific
papule. & a yellow scabulum on it
Now can see somewhat nearer. Look from like
a tree of Lichen & Urt. Tris. Now much
more Erythema Tris. & it is on palm of hand
as well where Lichen urticat. var. comes
comes from acute. inf. & p. 8. 2 was
also when course & exposure of this itching
& with ch. calumet at mouth & many
go over the whole skin blue with streaks
& mixed with lymphadenitis & even
may run on to a Pyemia. We have a
case where 2 on face had this general
U. Tris. over the body

Opium of under head nearly always
brought on by lice both in children
& women. Hair matted together.
Pub. less sat. with. . . or Petroleum for
2 days & then a bath

Opium rubrum head. Child. 4 y.
old. common head. Said to be large
portion in cover. not often. . . matted
with crust & scale covered also
extended over the chest & a little on forehead
On the back a L. papulosum as usual
in scrofulous individual. Carb. acid 3i. O.
W. Acid 3i. 2 a day on head & on body
one the rest also

Mucosa ment. septulata. Mucosa non
Pharynx Larynx. Scintilla. Do not know
the interest. apper. of M. M. but in lab.
slugs prob. come
Mucosa on lip upwards. placenta. round.
plentiful a vent. an. inc. growth cells
on mouth angles. ... arise & invades
quite spontaneous. often with good capillary
not in any case other dirty & an ulceriform
thick indurated or sclerous & a white
spot. leave wh. remains for years &
any relapse. all infectious. Some think
that these white patches left not the result
of syph. but true & is. One of the last app.
if they may be there after years of suff. but
often by affection. J. B. Blicher wh. but
& a white patch spot. decays. heals an
& soon to come so & not cure. when would
call Aphth. in practice. ^{for} Cary. long to
the single app. of an old syph. in them
Complains of irritation when takes any spec.
food. & may see a white speck in chest or
tongue. of the pale. perhaps. Hence nothing
at hand made ⁽³⁾ on his tongue intense red spot.
some what deeper than. surroundings &
when exanant. see the papillae. but from
them in the spirit. of them. sharp. circumscribed
on the periph. with a small border
excavated with pus. a little when
all this in a little Pseudomonas mis

& they come after while the P. of head of foot
& they are an accumulation of epith. as the P. of
How do they rise? Once more a thin layer
no trouble for years many not know
other increase in circumference & not in
M. out but in length & outer hand &
from in circumference of growth as also in
towards inward. Then white hard
granularly affect while lips or border
of tongue & remain unchanged for
years unaltered & never hard as
a cartilage. They are rare & accounts of P. of
person. They are generally held for
Epith. & from them Epith. may arise
come as Epith. may come from Epith.
as H. has had such cases when for years
has treated patient for it. A boy of
20 or more years with a clear case in
end of tongue. Epith. gone over a week
after to an Epith. in such rapidly & an very
distinctive. go to grow & grow.

From 1840 to 1865 H. observed a case of Lupus
in this time & end of Epith. broke out suddenly
after coming into Hospital school of Epith.

From a common case to a Epith. has Lebrant
J. B. has traced all internal steps.
says they form the extreme boundary in the
epithelial growth. Must be careful in
my little these growths when small from
Epithelium when they are in mouth Sept.
4 to a case little then when I was for years
& she was & he cured her in 3 weeks with H.S.

In all these I must agree, & I internally agree, & agree to parole equally nothing there for there tongue affection.

There come also on return seen Hehlhoff ~~man~~. In the 9th. Nov. & Rhen. say he not in the lake were affected but also the very poor. He has seen death on the very first symptoms of a 1st. syphilis. I am well aff. of the more. come in with a swollen swelling & then also found something. I think I play that it is syphilis. From him. See. Jeth or can mean to cure. Many come in small children. He then a case. See. a man, a woman, & ch. all healthy. Got sy. is a widow named & she all sy. blood. & wife wife a year after marriage & has. Now she. Got taken a brain afflict. & given on a life & then died. Barbara has around been perfect, when a widow & had 3. her sy. blood. She 4th child in to but after. off. as an Brit. Ple then came coming in after more as. She as child of all treatment. So on to distant. Diffin place to get at. and in painless. & all to cure. Plag. man. in gold farms with best. Giltman as to come there without. the local treatment which is in many cases quite impossible. When you can eat with Ag. & give the H. I.

Resonance Heart. very hard & difficult.

It is an acute cachexia, as a Purkin type
in such path. much more acute than
purkin type. purkin type is also a form of
a. s. ph. often the same as the cachexia.
when removed the acute but color heart
amplified (infected area)

Translucency from typhoid. Back of
the head. covered with crust which
is removed when the color is with pure
granular. (crust-like). Lateral
serous membrane to the sternum.

Heart

Lupus hypentrophicus. Heart. Numerous
small little projections in area & behind
in the periph. especially in center a little
eccentric. Little on under & on under when
the heart has fallen the spots project
above the surface of the skin & are uninfected
on one both. hand & with sharp on back
above elbow & on feet back & sole but
not so much. There also appear all the right
side like Schlegel's. but I am not sure, while the
occasional little there are single spots
& along the course of nerves. Often along the
radial or ulnar. There have an array
in gyrus & where the heart has fallen
is the infection. Each appears along a
cortical nerve would be undoubtful even
Schlegel's. A Syphilis. Some would say
herpes s. congesta. There are often
in removal of crust. It is Lupus
it is peculiar childhood in 2-3 years

in hand & feet & discharge from
small growths on surface with a
thin crust & then develop into
may for 2-3 years & grow & not
change the form of the inflammation
The 9 yrs occurred in Lupus. but the
inflammation is characterized & as he has
had it only a few years & it is doubtless
may be a Syphilis angustata
No efforts in the mouth
must treat as a local disease & which Syph
& Lupus are just the same. Must remove
the broken & scaly growths at will not
do. & open wound on planed & use the new
days. when removed such spots eat
with caustic. HCl. Cor. Carb., Aluminum
Sp. rem. scab. A. e. e. ^{Caustic} rem. a. a. parter & gel
= Aluminum solution

Syccosis upper lip much infiltration sharply
bordered. must remove the mountain
may lay incision in day 2-3 days to scale
an inflammation in it. or remove the ^{chief, drangle} & of. out. for
equal. If then do not remove the infl. use
the caustic. HCl. Carb. or Cor. Carb. and but
latter & long time, even 6 months. In any case
the appl. of caustic must be applied with
brush & bound lightly at night

Lupus vulgaris treatment! Inherent
some go with it taller long. again in
childhood at 6-10-12 years & if & inf. will
do with internal treatment. It. for a cell
and & & & & 31. Leprosy & dandy

not more. Outers. appl on flannel plus
spots. Smaller if with carb acid. 31 + 311.
Pine & alba. another is 121. not in ch
but in 2nd ch. & is good. The action is long
appears on two with it. with 3-10g abay
Sph. mellea an no good. 14g. Dec. felt. & set
Local to culture. an auge. after age search
extent & localization. method. wh. the
also an. Camp 14g. 7as. food glycine a ch
with lupus of a 7thaler. use Sump. 14g. & now
Squalone with this but action is long 2 years.
food gly. more intense but slow also. This only
in the. & polyad. not use in the. & also an
ulcerative form. 7as also in single cases
Sond. in young persons who are very sensitive
when not in face. Combination good. Carb. and
14 4 not day Camp 14g. or 14g. acetic. Sump. up
die Camp. 14g. Kali Carb. when large in
more. take a stick & eat. Beats down & good
a good vic. to give Lupus in embolism
Lupus being in ulcer form. of Lupus a sign
of Thaler. ^{Wien} Kali Carb. color red. pale
subly. for a quantity of one hour. of which people
does wonder in each. the area. at 31
Camp. ^{event} for 3 days with it
or 100thm anthe. method. in simplicity. it not
with a knife & is eff. ch. Galvanic. good
in L. hyperbolicum

Carbolic acid in strength of 1:60. 80. 100
has any effect on the lower organisms (Biller
Pity cells in 1:1000 will not grow but are not
destroyed. but take them out & place in
favorable conditions and they grow again
In all carbolic acid and nitro-phenol used
Lupus vulgaris

Woman 40 years old. has had it over 3 yrs
Now confined all over the nose & cheeks, skin
bluish red. projects a little above nose &
left cheek. on the lower lip. face. neck. under
& follicles. in pustiform. show. cicatr. also
numerous. & rough. cheeks. Infil. much
also. muscular. as can be felt thru the mouth
See ^{les} before acne rosacea. L. only. & erythematous
as a ros the red. in col. & the redness of
the cheeks & nose & mouth. & the cicatr.
large. also. The infil. also may cause it
against it. When it gets so severe. find in
periphery many brown and blackish spots
& (2). ^{under} as a ros. also find a few acne papules
or if all gone get a few. & pus on forehead
also as a ros. the infil. would only be an accident
complic of it as in influenza. provides of course
the atrophy. a dimple or several depressions
are also a feature. skin not raised.
Lupus, say there also ^{les} a butterfly. after. may also in
Lupus. be evident infiltration in the disease. but
strongly found in the opening of follicles. most often
in areas & grouping of their follicles. in of cut
pitted skin with scars in & they often
might it be Syphilis? occasional large nodules
involving on the nose may be true in its sign
but on the people the sign of papules and

and as a rule must study the periphery in all
these cases
Infil also more diff than in syphilis. Partic-
to *L. vulgaris*. It is diff. as it is a ran from
It comes here from the deeper strata of the skin
& more substances even be so natural affed
the skin. It also grows in these cases & above the
surface & produce a dense swelling on
L. tumida (not so in these case) Common in
puffed skin, debilitated people. In these
cases (as in this) often accompanied by *L. lupus*
in the mouth & palate

Treatment. Its very deep & sub. more diff in
infiltration. So, not with at. treated. Can-
not be treated. In these more difficult. Good
result. with + softer it. ^{and} glycerine
& some with gutta serena. cut the same
swell. also ^{after} this at. treated with arsenic
paste put on one cheek & then on another with
removal with *L. lupus* living

L. vulgaris upper lip. right side & right
cheek wound with broken and around
& half pain right angle of mouth another pale
about size of a horse bean also covered
with crusts. Boy age 18. Has had it 2 years
like 3 months & now showing a cure R

Remission quiescence where a patient
who had been treated in the R. house for
V. mischief. came again in 5 months with
a second attack of the same & during
this time was vaccinated & looked well

When pustules mixed with the blood, accompanied
the case runs a favourable course
If the haem. puriform. on the body, as puerum
come out. or as Pusule come out. is the purth
truly haem. or is the summingy.

Blood secretion from a Pusula a variety
may be seen in the blood in less
than 2 days

Eczema papule with intolerable itching
only a little. but the itching is very important & the cure
Carbol a 3 $\frac{1}{2}$ sps over Rect. 3 v. 1. Gly 3 ii. Sps Lar
and ruble 3 $\frac{1}{2}$ wash with a sponge & use the
Aurey line 3 $\frac{1}{2}$ over spine 3 ii. The zone is not
at all when the itching is somewhat removed.

A better method against against itching than
strong scratching. Ol. caducei 3 $\frac{1}{2}$ alcohol
alcohol. aa 3 $\frac{1}{2}$ Ol. Lavandulae^{ol} 3 $\frac{1}{2}$ Moris
Marine aa gutt. * * 2-3 times a day rub in

Prurigo small by 10. but not gone today. old
Ol. ex aet 3 v. 1. 3 ii. rub in & after sunset
soft 3 times in bath. The cure is when it
has lasted from many years. It
soon comes again after removal.

Prurigo is common in the hands in
other lands. none or very few in France or England

Eczema head neck & face

from ex. Carb. Plu. aa 3. Unguentum 3. Ol. Ol.
Sua cat. Desach. sabae. alba. Box a good
if Dr. with some Box a 3 i. with with enough
Gly is of great use in the case.

ceba oval. at 31. at olive. 31. 1. 7 feet given
at home. the long Glycine. Amp. 31
8 by 3 vi. etc. and under. long

Legum back of head. nearly always from
ice, as in this case

Put under sat. 31. long wings. 31. on
red. then. morning & evening apply for
two days, then wash. To take away
the mts. wash with alcohol & centrifuge
in Primer at the last Small for children

400,000. 600,000 died. only 2% died
of virus. given only 1/2 % of virus at
15% then 10% died of virus of
not in 40-50 %

first stage of Pex when the power is
and pulse up some Digibals. but
2nd stage when the glands which
it will do not give it

any more with the other but probably
is due to the other.

coldest application, are very common
in the young. I have seen at various
Citron acid.

region is much plentiful in the 2nd
as can be all these branches are
to in the region half, usually
at the root or even again on

In the first stage of Pex when the pain is
high and pulse up some. Discharge but
in the 2nd stage when the gradual excretion
is but small do not give it.

Alch. may given with it but probably
all the effect due to the other.

Local cold applications are very com-
mon in the joint. & Some times at various
times. Chronic acid.

New of hygienic is much plentiful in the 2nd
joint in this case all these branches are
affected. May be in the nerve itself. Nerve
and may be central ^{at the root} or even again in
peripheral cause.

Anterior corneal film in pale green condition
during the course of the disease. In
nucleus of Trigonum. Often several appear-
ances. Some from an often life long. recent
corneal shape. & Treatment.

& Ch. an an. give Dr. Walker's. Of the phos. &
be forget that it is that. Glycerine is
one antimonial. more. Glycerine & mineral
symptomatic treatment. Cold & warm. Some cases
are some the other. warm bath. Some cases. There
have but cold is exceptionally. Graduated
exposure. mentis cantharides are given.

Paracet. 500. morphine. subcutaneous inj.
Med. remission. as soon as pain is over I put
by phorbium. Then the constant stream of
chlorine. A cup of camellia. or even lemon
I stop the pain.

Artificial. produce labor
for $3\frac{1}{2}$ - 4 H. - bebenfags
at 2 weeks.

(1) when the pelvis is so narrow that
a full grown Ch. can not pass
Many Ch. lost. Mother not injured
Diff. of a part - run with a Maltese.

(2) Removal at end of 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. months
of pregnancy: Maltese. plums come with
the cumulation proceeds &
prior the month usually all
goes well.

(3) Placental prairie & bleeding at
"late months of pregnancy"

(4) Breasts at end of preg. as Puerperal
mam. often spontaneous of the
labor takes place

(5) Death of the foetus in the latter
months of the latter place
at a certain time in various
regions then at an individual

for art. one or two weeks before
the usual time
all built before the ch. can live
called her Abortives.

(1) open the membrane high up as
possible (engender)
then use a feather applied in
a wound.

(when Bright's disease is int. this
always has perfor. at birth - labor)

(3) Catheterization of the uterus
not better for the ch. & much
worse for the mother - a metru
comes in sehr Graüf.

(4) A Tampoon in uterus. Not good.

(5) Injection of cold water. Bad
for the woman sehr oft für Grunde
geben.

(6) intra uterine injection of water
between ut. & Blase.

(7) Tampoon of vapor. with Charpie
They were at her only with placit.

power & occa when the cervix
is very narrow


(8) undraining the cervix with an
instrument. Laminaria is
never used here now

(9) Scanzu. Drawing the breast
with. (Simple warm application
& manipulations suff. to force
the flow of milk in all cases)

Abortion when pelvis so narrow
that even a Lebenfais Ch. can not
be brought thro. also where tumors
are present &c

Cervical cancer also demands it
Pregnancy with uteroflycous blood
in these cases much disturbed
for often necessary to empty the bladder
& from the rectum lift the ut. up
adhesion if the uterus usually
in these cases. ut. are run - the ut. run
about themselves

Unblemished something of last
a month & women in danger
Method. Of the sword a feather.



9-10 Hobbs

10.30-12.30 Monte

Chickadee brown Bohemian

Column 1/4

Re. back 1/4

2 a day at bond

afternoon 1 a day

A winter count book

10
10
15
10
45.60

